




Flex™ Swing Door



Chrome


- Full length magnetic door latch for water tight closure
- Solid brass pivots provide durability and luxury
- Wall profiles allow up to 1/2" per side adjustment for width or out-of-plumb (uneven walls)

- Up to 4" of adjustment for width within telescopic rails
- Quality 1/4" (6mm) thick ANSI certified clear tempered glass
- **IMPORTANT! All measurements should be taken only AFTER walls are finished (tile, back walls, etc.)**
- Professional installation highly recommended




Configuration 1

SKU	A MODEL WIDTH	B MODEL HEIGHT	C ACCESS WIDTH	D DOOR WIDTH	P PIVOT PANEL WIDTH	-01 CHROME
SHDR-22287200	28" - 32"	72"	18 7/8"	24 1/2"	6 9/16"	-
SHDR-22327200	32" - 36"	72"	22 7/8"	28 1/2"	6 9/16"	-



Configuration 2

SKU	A MODEL WIDTH	B MODEL HEIGHT	C ACCESS WIDTH	D DOOR WIDTH	P PIVOT PANEL WIDTH	-01 CHROME
SHDR-22427200	38" - 42"	72"	23"	29 3/8"	18 3/8"	-
SHDR-22487200	44" - 48"	72"	23"	29 3/8"	18 3/8"	-
SHDR-22607200	56" - 60"	72"	23"	29 3/8"	30 3/8"	-



Configuration 3

SKU	A MODEL WIDTH	B MODEL HEIGHT	C ACCESS WIDTH	D DOOR WIDTH	G RETURN PANEL WIDTH	P PIVOT PANEL WIDTH	-01 CHROME
SHDR-2230300-RT	28 7/16" - 32 7/16"	72"	18 7/8"	24 1/2"	30 1/2"	6 9/16"	-
SHDR-2234340-RT	32 7/16" - 36 7/16"	72"	22 7/8"	28 1/2"	34 1/2"	6 9/16"	-
SHDR-2234460-RT	42" - 46"	72"	23"	29 3/8"	34 1/2"	18 3/8"	-
SHDR-2234460-RT	54" - 58"	72"	23"	29 3/8"	34 1/2"	30 3/8"	-

