




PureFlow

Zero Lead PEX manifold plumbing systems
Number one rated PEX plumbing manifolds






PureFlow

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
Zero Lead PEX Manifold Plumbing Systems					
 <p>ZERO LEAD MANABLOC®-COMPRESSION Compression MANABLOC's provide a homerun distribution manifold for the plumbing system. These MANABLOCs utilize either 3/8" or 1/2" distribution ports. Each MANABLOC comes factory pre-assembled with color coded hot and cold ports. All Compression MANABLOCs include port compression connections, drill templates, instruction guide, faceplate and port labels. Supply connections and mounting straps need to be ordered separately.</p> <p>DISCOUNT 2 <u>model V5030</u></p>					
			# of Outlets: Dimension (hot,cold)		
	36142	14 ports: 3/8 (6,8)	1	7.768	
	36182	18 ports: 3/8 (8,10)	1	8.208	
	36242	24 ports: 3/8 (9,15)	1	10.437	
	36302	30 ports: 3/8 (12,8)	1	12.537	
	36362	36 ports: 3/8 (14,22)	1	14.356	
	36144	14 ports: 1/2 (6,8)	1	7.458	
	36183	18 ports: 1/2 (8,10)	1	8.618	
	36243	24 ports: 1/2 (9,12)	1	10.707	
36303	30 ports: 1/2 (12,18)	1	9.797		
36363	36 ports: 1/2 (14,22)	1	14.366		
 <p>ZERO LEAD COMBINATION MANABLOC®-COMPRESSION Compression MANABLOC's provide a homerun distribution manifold for the plumbing system. These combination MANABLOCs combine 1/2" and 3/8" distribution ports to provide optimum water savings by providing enough water to specifically meet the fixture requirements. Some also come with special configurations for homes with water softeners. Each MANABLOC comes factory pre-assembled with color coded hot and cold ports. All Compression MANABLOCs include port compression connections, drill templates, instruction guide, faceplate and port labels. Supply connections and mounting straps need to be ordered separately.</p> <p><u>model V5030.2</u></p> <p>Hard/Soft Water Configurations</p> <p>DISCOUNT 2</p>					
			# of Outlets: Dimension (hot,cold)		
	36624	24 ports: 3/8 (7,11) & 1/2 (2,4)	1	9.867	
	36626	26 ports: 3/8 (7,11) & 1/2 (3,5)	1	11.177	
	36630	30 ports: 3/8 (10,12) & 1/2 (2,6)	1	11.667	
	36636	36 ports: 3/8 (11,15) & 1/2 (3,7)	1	13.516	
	31026	26 ports: 3/8 (9SH,9SC,2HC) & 1/2 (2SH,2SC,2HC)	1	11.177	
	31032	32 ports: 3/8 (11SH,11SC,2HC) & 1/2 (3SH,3SC,2HC)	1	14.316	
	31036	36 ports: 3/8 (13SH,13SC,2HC) & 1/2 (3SH,3SC,2HC)	1		
	 <p>ZERO LEAD MINIBLOC™-COMPRESSION Compression MINIBLOC's provide a zone manifold for the plumbing system. These MINIBLOC's use either 3/8" or 1/2" distribution ports. All Compression MINIBLOCs include port compression connections, drill templates, instruction guide, faceplate and port labels. Supply connections need to be ordered separately.</p> <p>NOTE: The part number to the right represent all blue valves. Red valve caps are included to designate hot water lines.</p> <p>DISCOUNT 2 <u>model V5031</u></p>				
			# of Outlets: Dimension		
36032		3 ports: 3/8	1	2.024	
36042		4 ports: 3/8	1	2.334	
36052		5 ports: 3/8	1	2.659	
36062		6 ports: 3/8	1	2.919	
36082		8 ports: 3/8	1	3.549	
36102		10 ports: 3/8	1	4.159	
36033		3 ports: 1/2	1	2.144	
36043		4 ports: 1/2	1	2.469	
36053	5 ports: 1/2	1	2.759		
36063	6 ports: 1/2	1	2.884		
36083	8 ports: 1/2	1	3.829		
36103	10 ports: 1/2	1	4.429		

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 <p>ZERO LEAD MANABLOC®/MINIBLOC™- COMPRESSION ACCESSORIES MANABLOC/MINIBLOC Compression fittings include a lock-in nut, lock-in inserts, ferrules and insert stiffeners. All of these items are available individually.</p> <p>LOCK-IN NUT <u>model V5036.24</u></p> <p>LOCK-IN INSERT DISCOUNT 2</p>	36002	3/8	100	0.02	
	36003	1/2	100	0.04	
	36402	3/8	100	0.002	
	36403	1/2	100	0.002	
 <p>ZERO LEAD FERRULES These plastic ferrules are to be used when connecting Viega PEX with compression connections such as MANABLOC compression fittings and risers. DISCOUNT 2 <u>model V5085</u></p>	53015	3/8	50	0.001	
	53020	1/2	100	0.001	
 <p>ZERO LEAD STAINLESS STEEL COMPRESSION INSERT STIFFENERS The stainless steel insert stiffeners are used to maintain a firm shape inside ViegaPEX tubing when making compression connections such as MANABLOC compression fittings. DISCOUNT 2 <u>model V5086</u></p>	56110	3/8	50	0.029	
	56120	1/2	50	0.005	
 <p>MANABLOC® WRENCH The MANABLOC wrench allows you to easily tighten the lock-in nuts for either a MANABLOC or a MINIBLOC with precision. For use with Compression MANABLOC or MINIBLOCs only. DISCOUNT 5 <u>model V5036.23</u></p>	50631	3/8 & 1/2		0.745	
 <p>ZERO LEAD MANABLOC®-BRONZE PEX PRESS Bronze PEX Press MANABLOC's provide a homerun distribution manifold for the plumbing system. These MANABLOCs utilize 3/8" or 1/2" distribution lines. Each MANABLOC comes factory pre-assembled with color coded hot and cold ports. All Bronze PEX Press MANABLOCs include port Press connections, drill templates, instruction guide, faceplate and port labels. Supply connections and mounting straps need to be ordered separately. DISCOUNT 2 <u>model V5030ZL</u></p>		# of Outlets: Dimension (hot,cold)			
	38142	14 ports: 3/8 (6,8)	1		
	38143	14 ports: 1/2 (6,8)	1		
	38243	24 ports: 1/2 (9,15)	1		
	38303	30 ports: 1/2 (12,18)	1		
38363	36 ports: 1/2 (14,22)	1			

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>ZERO LEAD COMBINATION MANABLOC@-BRONZE PEX PRESS Bronze PEX Press MANABLOC's provide a homerun distribution manifold for the plumbing system. These PEX Press MANABLOCs combine 1/2" and 3/8" distribution lines to provide optimum water savings by providing enough water to specifically meet the fixture requirements. Some also come with special configurations for homes with water softeners. Each MANABLOC comes factory pre-assembled with color coded hot and cold ports. All Bronze PEX Press MANABLOCs include port Press connections, drill templates, instruction guide, faceplate and port labels. Supply connections and mounting straps need to be ordered separately.</p> <p>DISCOUNT 2 <u>model V5040ZL</u></p>		# of Outlets: Dimension (hot,cold)		
	38183	18 ports: 3/8 (6,7) & 1/2 (2,3)	1	
	38024	24 ports: 3/8 (7,11) & 1/2 (2,4)	1	
	38266	26 ports: 3/8 (7,11) & 1/2 (3,5)	1	
	38030	30 ports: 3/8 (10,12) & 1/2 (2,6)	1	
	38036	36 ports: 3/8 (11,15) & 1/2 (3,7)	1	
 <p>ZERO LEAD MINIBLOC™-BRONZE PEX PRESS Bronze PEX Press MINIBLOCs provide a zone manifold for the plumbing system. These MINIBLOCs use either 3/8" or 1/2" distribution lines. All Bronze PEX Press MINIBLOCs include port Press connections, drill templates, instruction guide, faceplate and port labels. Supply connections need to be ordered separately.</p> <p>NOTE: The part number to the right represent all blue valves. Red valve caps are included to designate hot water lines.</p> <p>DISCOUNT 2 <u>model V5050ZL</u></p>		# of Outlets: Dimension		
	38033	3 ports: 1/2	1	
	38043	4 ports: 1/2	1	
	38053	5 ports: 1/2	1	
	38063	6 ports: 1/2	1	
	38083	8 ports: 1/2	1	
38103	10 ports: 1/2	1		
 <p>ZERO LEAD BRONZE PEX PRESS SUPPLY ADAPTERS These fittings connect the supply lines to the MANABLOC or MINIBLOC. They allow you to easily connect ViegaPEX or FostaPEX tubing to the MANABLOC or MINIBLOC with PEX Press connections (nut included).</p> <p>DISCOUNT 2 <u>model 2877.8ZL</u></p>		PEX Press x MANABLOC Supply		
	96141	3/4 x 1	5	
	96161	1 x 1	5	
96171	1 1/4 x 1	5		
 <p>ZERO LEAD BRONZE PEX PRESS PORT ADAPTER This adapter connects to the distribution ports on a MANABLOC or MINIBLOC and allows you to connect to ViegaPEX or FostaPEX tubing using a PEX Press connection (nut included).</p> <p>DISCOUNT 2 <u>model 2877.3ZL</u></p>		PEX Press x MANABLOC Port		
	96101	3/8 x 1/2	6	
96120	1/2 x 1/2	6		



	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>ZERO LEAD MANABLOC®- BRASS PEX CRIMP Brass PEX Crimp MANABLOCs provide a homerun distribution manifold for the plumbing system. These MANABLOCs utilize either 3/8" or 1/2" distribution lines. Each MANABLOC comes factory pre-assembled with color coded hot and cold ports. All Brass PEX Crimp MANABLOCs include port crimp connections, drill templates, instruction guide, faceplate and port labels. Supply connections and mounting straps need to be ordered separately.</p> <p>DISCOUNT 2 model V5043ZL</p>		# of Outlets: Dimension (hot,cold)		
	41142	14 ports: 3/8 (6,8)	1	8.248
	41143	14 ports: 1/2 (6,8)	1	8.618
	41243	24 ports: 1/2 (9,15)	1	12.156
	41303	30 ports: 1/2 (12,18)	1	14.546
	41363	36 ports: 1/2 (14,22)	1	16.545
 <p>ZERO LEAD COMBINATION MANABLOC® BRASS PEX CRIMP Brass PEX Crimp MANABLOCs provide a homerun distribution manifold for the plumbing system. These Brass PEX Crimp MANABLOCs combine 1/2" and 3/8" distribution lines to provide optimum water savings by providing enough water to specifically meet the fixture requirements. Some also come with special configurations for homes with water softeners. Each MANABLOC comes factory pre-assembled with color coded hot and cold ports. All Brass PEX Crimp MANABLOCs include port Crimp connections, drill templates, instruction guide, faceplate and port labels. Supply connections and mounting straps need to be ordered separately.</p> <p>DISCOUNT 2 model V5035ZL</p>		# of Outlets: Dimension (hot,cold)		
	41183	18 ports: 3/8 (6,7) & 1/2 (2,3)		9.707
	41246	24 ports: 3/8 (7,11) & 1/2 (2,4)	1	12.087
	41266	26 ports: 3/8 (7,11) & 1/2 (3,5)	1	11.997
	41306	30 ports: 3/8 (10,12) & 1/2 (2,6)	1	14.416
	41366	36 ports: 3/8 (11,15) & 1/2 (3,7)	1	16.435
 <p>ZERO LEAD MINIBLOC™-BRASS PEX CRIMP Brass PEX Crimp MINIBLOC's provide a zone manifold for the plumbing system. These MINIBLOC's use either 3/8" or 1/2" distribution lines. All Brass PEX Crimp MINIBLOC's include port Crimp connections, drill templates, instruction guide, faceplate and port labels. Supply connections need to be ordered separately.</p> <p>NOTE: The part numbers to the right represent all blue valves. Red valve caps are included to designate hot water lines.</p> <p>DISCOUNT 2 model V5031ZL</p>		# of Outlets: Dimension		
	41033	3 ports: 1/2	1	2.329
	41043	4 ports: 1/2	1	2.699
	41053	5 ports: 1/2	1	3.059
	41063	6 ports: 1/2	1	3.869
	41083	8 ports: 1/2	1	4.309
41103	10 ports: 1/2	1	5.039	




	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>ZERO LEAD BRASS PEX CRIMP PORT ADAPTERS This adapter connects to the distribution ports on a MANABLOC or a MINIBLOC and allows you to connect to ViegaPEX or FostaPEX tubing using a Bronze PEX Press connection (nut included).</p> <p>DISCOUNT 2 model V5039ZL</p>	46624	3/8 x 1/2	6	0.08
	46634	1/2 x 1/2	6	
 <p>PORT REPLACEMENT NUT This replacement nut is used to connect a port adapter to the distribution port on a MANABLOC.</p> <p>DISCOUNT 2 model V5039.8</p>	53006	1/2 Port Replacement Nut	6	0.26
 <p>ZERO LEAD BRASS PEX CRIMP SUPPLY ADAPTERS These fittings connect the supply lines to the MANABLOC or MINIBLOC. They allow you to easily connect ViegaPEX tubing to the MANABLOC or MINIBLOC with Brass PEX Crimp connections (nut included).</p> <p>DISCOUNT 2 model V5034ZL</p>	46414	3/4 x 1	5	
	46416	1 x 1	5	
 <p>ZERO LEAD MANABLOC®-POLYALLOY™PEX CRIMP PolyAlloy PEX Crimp MANABLOCs provide a homerun distribution manifold for the plumbing system. These PolyAlloy PEX Crimp MANABLOCs combine 3/8" and 1/2" distribution lines to provide optimum water savings by providing enough water to specifically meet the fixture requirements. Some also come with special configurations for homes with water softeners. Each MANABLOC comes factory pre-assembled with color coded hot and cold ports. All PolyAlloy PEX Crimp MANABLOCs include port Crimp connections, drill templates, instruction guide, faceplate and port labels. Supply connections and mounting straps need to be ordered separately.</p> <p>DISCOUNT 2 model V5030.5</p>		# of Outlets: Dimension (hot,cold)		
	50142	14 ports: 3/8 (6,8)	1	7.598
	50143	14 ports: 1/2 (6,8)	1	7.928
	50243	24 ports: 1/2 (9,15)	1	10.987
	50303	30 ports: 1/2 (12,18)	1	13.076
50363	36 ports: 1/2 (14,22)	1	14.786	



	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>ZERO LEAD COMBINATION MANABLOC® - POLYALLOY™ PEX CRIMP PolyAlloy PEX Crimp MANABLOCs provide a homerun distribution manifold for the plumbing system. These PolyAlloy PEX Crimp MANABLOCs combine 1/2" and 3/8" distribution lines to provide optimum water savings by providing enough water to specifically meet the fixture requirements. Some also come with special configurations for homes with water softeners. Each MANABLOC comes factory pre-assembled with color coded hot and cold ports. All PolyAlloy PEX Crimp MANABLOCs include port Crimp connections, drill templates, instruction guide, faceplate and port labels. Supply connections and mounting straps need to be ordered separately.</p> <p>DISCOUNT 2 <u>model V5030.51</u></p>		# of Outlets: Dimension (hot,cold)		
	51618	18 ports: 3/8 (6,7) & 1/2 (2,3)	1	
	50624	24 ports: 3/8 (7,11) & 1/2 (2,4)	1	10.957
	50626	26 ports: 3/8 (7,11) & 1/2 (3,5)	1	11.177
	50630	30 ports: 3/8 (10,12) & 1/2 (2,6)	1	13.006
	50636	36 ports: 3/8 (11,15) & 1/2 (3,7)	1	14.736
 <p>ZERO LEAD MINIBLOC™-POLYALLOY™ PEX CRIMP PolyAlloy PEX Crimp MINIBLOCs provide a zone manifold for the plumbing system. These MINIBLOCs use either 3/8" or 1/2" distribution lines. All PolyAlloy PEX Crimp MINIBLOCs include port Crimp connections, drill templates, instruction guide, faceplate and port labels. Supply connections need to be ordered separately.</p> <p>NOTE: The part numbers to the right represent all blue valves. Red valve caps are included to designate hot water lines.</p> <p>DISCOUNT 2 <u>model V5031.5</u></p>		# of Outlets: Dimension		
	50033	3 ports: 1/2	1	2.179
	50043	4 ports: 1/2	1	2.509
	50053	5 ports: 1/2	1	2.819
	50063	6 ports: 1/2	1	3.579
	50083	8 ports: 1/2	1	3.919
50103	10 ports: 1/2	1	4.549	



	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>ZERO LEAD POLYALLOY™ PEX CRIMP PORT ADAPTERS This adapter connects to the distribution ports on a MANABLOC or a MINIBLOC and allows you to easily connect to ViegaPEX tubing using a PolyAlloy PEX Crimp connection (nut included).</p> <p>DISCOUNT 2 <u>model V5039.1</u></p>	50023	3/8 x 1/2	6	0.04
	50133	1/2 x 1/2	6	0.04
 <p>ZERO LEAD POLYALLOY™ PEX CRIMP SUPPLY ADAPTERS These fittings connect the supply lines to the MANABLOC or MINIBLOC. They allow you to easily connect ViegaPEX tubing to the MANABLOC or MINIBLOC with PolyAlloy PEX Crimp connections (nut included).</p> <p>DISCOUNT 2 <u>model V5213</u></p>	50141	3/4 x 1	5	0.01
	50151	1 x 1	5	0.01
 <p>Zero Lead MANABLOC / MINIBLOC</p> <p>ZERO LEAD ADDITIONAL MANABLOC™ SUPPLY ADAPTERS These fittings connect the supply lines to the MANABLOC or MINIBLOC. They allow you to transition easily from a variety of types of service line connections to the MANABLOC or MINIBLOC.</p> <p>COMPRESSION <u>model V5032ZL</u></p> <p>M NPT</p> <p>MINIBLOC COUPLING DISCOUNT 2</p>	46346	3/4 x 1	5	
	46646	3/4 x 1	5	
	46656	1 x 1	5	
	50355	1 x 1	10	0.201
 <p>PORT REPLACEMENT NUT This replacement nut is used to connect a port adapter to the distribution port on a MANABLOC.</p> <p>DISCOUNT 2 <u>model V5039.8</u></p>	53006	1/2 Port Replacement Nut	6	0.26



	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 <p>ZERO LEAD MANABLOC® CAPS MANABLOC/MINIBLOC Port & Supply caps provide a safety cap if port or supply connections are not in use.</p> <p>PORT CAP model V508Z</p> <p>SUPPLY CAP DISCOUNT 2</p>	36202	3/8	1	0.02	
	36203	1/2	100	0.039	
	53601	1	5	0.08	
 <p>MANABLOC® MOUNTING STRAPS This pair of metal mounting straps are stamped from 16 gauge zinc plated steel. They are pre-drilled to mount on 16" center studs. The MANABLOC mounting holes will align precisely with the pre-drilled holes on the bracket (4 screws included).</p> <p>DISCOUNT 2 model V5038</p>	45716		1	0.72	
 <p>ZERO LEAD MANABLOC® VALVE STEM REPLACEMENT KIT Valve stem replacement kits allow for easy replacement of MANABLOC or MINIBLOC valves. The kit includes one red valve, one blue valve, red T-handle to turn the valve and tool for unlocking the valve to be replaced.</p> <p>DISCOUNT 2 model V5039.6</p>	50602		1	0.145	
 <p>MANABLOC® T-HANDLE The Red T-handle allows you to easily open or close the valves on either the MANABLOC or the MINIBLOC.</p> <p>DISCOUNT 2 model V5039.7</p>	50601		1	0.03	
 <p>MANABLOC® ACCESS PANEL This sleek plastic access panel is ideal for use with the MANABLOC or the MINIBLOC or in other plumbing applications to provide access to valves or fixture connections. They can be mounted to open vertically or horizontally.</p> <p>DISCOUNT 2 model V5099</p>		Width x Length (max. # of Ports)			
	50718	14 x 18 x (14)	1	2.239	
	50726	14 x 26 x (16)	1	2.919	
	50730	14 x 30 x (24)	1	3.459	
	50739	14 x 39 x (36)	1	4.589	
	50839	14 x 39 x (36) Clear	1	4.999	
	50740	14 x 40 x (36) UL	1	27.392	
	50748	14 x 48 x (36) UL	1	31.641	

