# Bath and Shower



Flara° Featured in Chrome Finish





#### LAVATORY FAUCETS



One-Handle Bathroom Faucet S42107 †©



Two-Handle Widespread Bathroom Faucet TS42108 \*†@@



Two-Handle Widespread Bathroom Faucet TS42114 \*†ක



Two-Handle Wallmount Bathroom Faucet TS42106 \*↑ ♠ ♥



Two-Handle Wallmount Bathroom Faucet TS42112 \*†@





**TUB FILLERS** 



Freestanding Tub Filler Cross Handle S22105 TS25105 cm Lever Handle S22110 TS25110 cm &



Two-Handle Wallmount Tub Filler with Handshower Cross Handle S22105 @ Lever Handle S22110 @ @

#### ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower Cross Handle TS21102 \* Lever Handle TS21104 \*



Two-Handle Roman Tub Trim Cross Handle TS22101 \* @ Lever Handle TS22103 \* @ (8)









EXACTTEMP° 3/4"



ExactTemp Valve Trim



ExactTemp Volume Control Trim TS52104 \* @ 🕲

#### TRANSFER VALVES



M-CORE™ Transfer Valve Trim UTS32205 \*@©



Three Independent Function Transfer Valve Trim TS32206 \* @ © Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim TS32205 \* C Use with valve 3372 or 3375



M-CORE 3S with Integrated Transfer Valve Trim UTS4311 \* @ @





Posi-Temp° with Integrated Transfer Valve Trim TS32100 \* 🔊 🕲

M-CORE<sup>™</sup> 3-SERIES

NEW



M-CORE 3S Tub/Shower Trim UTS33103\*@☺ UTS33103EP\*◊@☺

**M-CORE 3S Shower Only Trim** UTS33102\***@** UTS33102EP\***◊@** 

M-CORE 3S Valve Only Trim UTS33101\*@©



#### **MOENTROL**°







Moentrol Tub/Shower Trim TS33103NH\*@©

Moentrol Shower Only Trim

Moentrol Valve Only Trim TS33101\*@©

#### POSI-TEMP°





**Posi-Temp Tub/Shower Trim** TS32104\*¤**@ ☺** TS32104EP\*¤**◊ @ ☺** 

**Posi-Temp Shower Only Trim** TS32102\*¤**@®** TS32102EP\*¤**◊@®** 

Posi-Temp Valve Only Trim TS3210\*@©

#### MATCHING ACCESSORIES



**Tank Lever** YB8401



**Double Robe Hook** YB8403



**18" Towel Bar** YB8418

**24" Towel Bar** YB8424



**Drawer Knob** YB8405



**Drawer Pull** YB8407



**Pivoting Paper Holder** YB8408 (P



**Towel Ring** YB8486

## Weymouth<sup>®</sup>



#### COORDINATING ACCESSORIES



**One Globe Bath Light** YB9861



Two Globe Bath Light YB9862



Three Globe Bath Light YB9863



Four Globe Bath Light YB9864

#### WEYMOUTH FINISH OPTIONS



Chrome, Brushed Nickel (BN), LifeShine<sup>®</sup> Brushed Gold (BG), Lifeshine<sup>®</sup> Polished Nickel (NL) Oil Rubbed Bronze (ORB), Matte Black (BL)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 286-293.

- 🛛 Immersion Rainshower Technology
- Moen M•PACT° Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- 🗭 Pivoting Technology
- All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense labeling criteria and contribute toward maximizing LEED\* points.



c Us All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if LISTED mounted up). Bulbs not included.



#### LAVATORY FAUCETS



**One-Handle Bathroom Faucet** S43001 **†** 



Two-Handle Widespread **Bathroom Faucet** TS43002\*†@&



Two-Handle Wallmount Bathroom Faucet TS43003\*†@&



TUB FILLER

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower TS93004 \*@&



Two-Handle Roman Tub Trim TS93003\*@&



S93005 🔊 🕲









EXACTTEMP° 3/4"



ExactTemp Valve Trim TS33002 \*@©



ExactTemp Volume Control Trim TS33003 \* @ S For showerhead options, see page 180

TRANSFER VALVES



M-CORE™ Transfer Valve Trim UTS23005\*⋒⊗



Three Independent Function Transfer Valve Trim TS23006\* @ @ Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim TS23005 \* @ Use with valves 3372 or 3375



M-CORE 3S with Integrated Transfer Valve Trim UTS3311\*@®



Posi-Temp° with Integrated Transfer Valve Trim TS22000\*@®







M-CORE<sup>™</sup> 3-SERIES





M-CORE 3S Tub/Shower Trim UTS32003\*@☺ UTS32003EP\*◊@☺

**M-CORE 3S Shower Only Trim** UTS32002\*@© UTS32002EP\*◊@©

M-CORE 3S Valve Only Trim UTS32001\*@© MOENTROL°



Moentrol Tub/Shower Trim

Moentrol Shower Only Trim TS32002NH\*@©

Moentrol Valve Only Trim TS32001\* බර POSI-TEMP°





Posi-Temp Tub/Shower Trim TS22003\*¤@☺ TS22003EP\*¤◊@☺

**Posi-Temp Shower Only Trim** TS22002\*¤@© TS22002EP\*¤◊@©

Posi-Temp Valve Only Trim TS22001\*@©



#### MATCHING ACCESSORIES



Tank Lever YB0801



Pivoting Paper Holder YB0808 (P



**18" Towel Bar** YB0818

**24" Towel Bar** YB0824



Double Robe Hook YB0803



**5x Magnifying Mirror** YB0892



**Towel Ring** YB0886



**12" Designer Grab Bar** YG0812

**18" Designer Grab Bar** YG0818

**24" Designer Grab Bar** YG0824

**36" Designer Grab Bar** YG0836

**42" Designer Grab Bar** YG0842



#### COORDINATING ACCESSORIES



Iso<sup>™</sup> Drawer Knob DN0705



Iso Drawer Pull DN0707



Iso One Globe Bath Light DN0761



Iso Two Globe Bath Light DN0762



Iso Three Globe Bath Light DN0763



Iso Four Globe Bath Light DN0764

#### **ARRIS FINISH OPTIONS**



Chrome, Brushed Nickel (BN), Matte Black (BL)

Not all platforms available in all finishes. To view ordering instructions, see reference

chart on pages 286-293.

- X Immersion Rainshower Technology
- Moen M•PACT<sup>®</sup> Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- (P Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- . Rough-in valve required. Please see price catalog for rough-in model numbers. \*
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED<sup>®</sup> points.

Note: Iso's Brushed Nickel (BN) accessories finish does not perfectly match faucet finish.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.





**TUB FILLER** 

#### LAVATORY FAUCETS



One-Handle Bathroom Faucet S6981 †©



**One-Handle Bathroom Faucet** S6982 **† (6)** 



Two-Handle Widespread Bathroom Faucet TS6984 \*†の @



Two-Handle Widespread Bathroom Faucet TS6985 \*†の



Freestanding Tub Filler S931 @ Image Sector Sector





Two-Handle Roman Tub Trim TS926 \* @ ©



Two-Handle Roman Tub Trim TS927 \* @





Two-Handle Roman Tub Trim with Handshower TS928\*@&



Two-Handle Roman Tub Trim with Handshower TS929\*@&◊◊

#### EXACTTEMP° 3/4"



ExactTemp Valve Trim TS4201\*@&



ExactTemp Volume Control Trim TS4202\*@&

#### TRANSFER VALVES



**Three Independent Function** Transfer Valve Only Trim TS4912 \*@& Use with valve 3362 only



Two- or Three-Function Transfer Valve Only Trim TS4911 \*@&



M-CORE<sup>™</sup> Transfer Valve Trim UTS4911 \*@&



M-CORE 3S with **Integrated Transfer** Valve Trim UTS2411\*@&







#### M-CORE™ 3-SERIES



**M-CORE 3S Tub/Shower Trim** UTS3913\***@** UTS3913EP**\*◊@** 

M-CORE 3S Shower Only Trim UTS3912\*@☺ UTS3912EP\*◊@☺

M-CORE 3S Valve Only Trim UTS3911\* @ Image: UTS3911\* Image: Image

#### MOENTROL°



Moentrol Tub/Shower Trim TS3913NH\*@©

Moentrol Shower Only Trim TS3912NH\*@©

Moentrol Valve Only Trim



POSI-TEMP°



Posi-Temp Tub/Shower Trim TS2913\*@☺ TS2913EP\*�@☺ TS2913NH\*@☺

**Posi-Temp Shower Only Trim** TS2912**\*⋒©** TS2912EP**\*◊⋒©** TS2912NH**\*⋒©** 

Posi-Temp Valve Only Trim TS2911\*@©

# Flara® NEW COLLECTION



#### MATCHING ACCESSORIES



Tank Lever YB0301



**Double Robe Hook** YB0303



**Pivoting Paper Holder** YB0308 (P



**Drawer Knob** YB0305



Drawer Pull YB0307



**Mirror** YB0392



Hand Towel Bar YB0386



**18" Towel Bar** YB0318

**24" Towel Bar** YB0324

**24" Double Towel Bar** YB0322



**12" Designer Grab Bar** YG0312

**18" Designer Grab Bar** YG0318

**24" Designer Grab Bar** YG0324

**36" Designer Grab Bar** YG0336

**42" Designer Grab Bar** YG0342



Vanity Shelf YB0390







#### MATCHING ACCESSORIES



**One Globe Bath Light** YB0361



**Two Globe Bath Light** YB0362



Three Globe Bath Light YB0363



Four Globe Bath Light YB0364

#### FLARA° FINISH OPTIONS



Chrome, Brushed Nickel **(BN)**, Brushed Gold **(BG),** Polished Nickel **(NL)** 

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 286-293.

- X Immersion Rainshower Technology
- ᢙ Moen M●PACT<sup>◦</sup> Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense' labeling criteria and contribute toward maximizing LEED\* points.

cursteen us All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.





#### LAVATORY FAUCETS



**One-Handle Bathroom Faucet** S44101 **†** 



Two-Handle Widespread Bathroom Faucet TS44102 \*†@ ම



Two-Handle Widespread Bathroom Faucet TS44103 \*†ක



Two-Handle Wallmount Bathroom Faucet TS44104 \*†@®



Two-Handle Wallmount Bathroom Faucet TS44105 \*†€

### Colinet<sup>™</sup> NEW COLLECTION



#### TUB FILLER



Freestanding Tub Filler S44507 @ Image: S44507

#### ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim TS44503 \* @ 🕲



Two-Handle Roman Tub Trim TS44505 ★ ♠



Two-Handle Roman Tub Trim with Handshower TS44504 \* ♠ ♥



Two-Handle Roman Tub Trim with Handshower TS44506 \* €





#### EXACTTEMP° 3/4"



ExactTemp Valve Trim TS44401\*@&



ExactTemp Volume Control Trim TS44402\*@ For showerhead options, see page 180

#### TRANSFER VALVES



M-CORE™ Transfer Valve Trim UTS9381 \*@☺



**M-CORE 3S with Integrated Transfer Valve Trim** TS9211 \* 🎧 🕲 Use with valve 3362 only

POSI-TEMP°



Posi-Temp Valve Only Trim Trim TS44201 \*@ Image: State State

M-CORE<sup>™</sup> 3-SERIES



**M-CORE 35 Tub/Shower Trim** UTS344303 **\***⋒ ☺ UTS344303EP **\***◊⋒ ☺

**M-CORE 3S Shower Only Trim** UTS344302 **\***⋒ **©** UTS344302EP **\*◊***⋒* **©** 

M-CORE 3S Valve Only Trim UTS344301 \*@©

### Colinet<sup>™</sup> NEW COLLECTION



#### MATCHING ACCESSORIES



**Tank Lever** YB0501



**Double Robe Hook** YB0503



**Pivoting Paper Holder** YB0508 (P



**Drawer Knob** YB0505



**Drawer Pull** YB0507



**Towel Ring** YB0586

**18" Towel Bar** YB0518

**24" Towel Bar** YB0524





#### MATCHING ACCESSORIES



**One Globe Bath Light** YB0561



**Two Globe Bath Light** YB0562



**Three Globe Bath Light** YB0563



Four Globe Bath Light YB0564

#### COLINET° FINISH OPTIONS



Chrome, Brushed Nickel (BN), Brushed Gold (BG), Matte Black (BL)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 286-293.

- X Immersion Rainshower Technology
- ᢙ Moen M●PACT<sup>®</sup> Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense' labeling criteria and contribute toward maximizing LEED" points.



custed us all lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



#### LAVATORY FAUCETS



One-Handle Bathroom Faucet S6700 †© Deckplate sold seperately / 147204



One-Handle Bathroom Faucet S6705 †© Deckplate sold seperately / 147204



One-Handle Bathroom Faucet S6710 † Deckplate sold seperately / 147204



One-Handle Vessel Bathroom Faucet S6711 †© Deckplate sold seperately / 147204



One-Handle Vessel Bathroom Faucet S6712 †© Deckplate sold seperately / 147204



Two-Handle Widespread Bathroom Faucet TS6720 \*†⋒ ☺



Two-Handle Widespread Bathroom Faucet TS6721 \*†⊛ ☺









Two-Handle Wallmount Bathroom Faucet TS6730 \*†@®



Two-Handle Wallmount Bathroom Faucet TS6731 \*†@®



Freestanding Tub Filler

#### ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim



Two-Handle Roman Tub Trim with Handshower TS904 \* @ ©



Two-Handle Roman Tub Trim



Two-Handle Roman Tub Trim with Handshower TS914 \* @ Image: Second Second



EXACTTEMP° 3/4"



ExactTemp Valve Trim TS3100 \* @ 🕲



ExactTemp Volume Control Trim TS3300 \* ි & For showerhead options, see page 180

TRANSFER VALVES



M-CORE™ Transfer Valve Trim UTS4172 \*@®



Three Independent Function Transfer Valve Trim TS4173 \* 🎧 🕲 Use with valve 3362 only



**Two- or Three-Function Transfer Valve Trim** TS4172 \* **© ©** Use with valves 3372 or 3375



M-CORE 3S with Integrated Transfer Valve Trim UTS9011 \* @ (3)



Posi-Temp° with Integrated Transfer Valve Trim TS2710 \*@®



#### M-CORE™ 3-SERIES







**M-CORE 35 Tub/Shower Trim** UTS3713\***@** UTS3713EP\***¤**◊**@** 

**M-CORE 3S Shower Only Trim** UTS3715\***@᠖** UTS3715EP\*¤**◊@᠖** 

M-CORE 3S Valve Only Trim UTS3711\*@© MOENTROL°







Moentrol Tub/Shower Trim TS3713\*¤@☺ TS3713NH\*@☺

Moentrol Shower Only Trim TS3715\*¤ශා ම TS3715NH\*කම

Moentrol Valve Only Trim

POSI-TEMP°







Posi-Temp Tub/Shower Trim TS2713\*¤@© TS2713EP\*¤◊@© TS2713NH\*@©

 Posi-Temp Shower Only Trim

 TS2712\*¤@☺

 TS2712EP\*¤◊@☺

 TS2712NH\*@☺

Posi-Temp Valve Only Trim







#### MATCHING ACCESSORIES



**Tank Lever** YB8801



Single Robe Hook YB8803



**Pivoting Paper Holder** YB8808 (P



Drawer Knob YB8805



Drawer Pull YB8807



Hand Towel Bar YB8886



YB8818

**24" Towel Bar** YB8824



**12" Designer Grab Bar** YG8812

**18" Designer Grab Bar** YG8818

**24" Designer Grab Bar** YG8824

**36" Designer Grab Bar** YG8836

**42" Designer Grab Bar** YG8842





#### MATCHING ACCESSORIES



**One Globe Bath Light** YB8861



**Two Globe Bath Light** YB8862



Three Globe Bath Light YB8863



Four Globe Bath Light YB8864

#### 90° FINISH OPTIONS



Chrome, Brushed Nickel **(BN)** To view ordering instructions, see reference chart on pages 286-293.

- 🛛 Immersion Rainshower Technology
- Moen M•PACT° Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- lacktrian ADA-Compliant
- 🗭 Pivoting Technology
- All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED\* points.



us All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



#### LAVATORY FAUCETS



**One-Handle Bathroom Faucet** S8000 **†** 

Two-Handle Widespread

Bathroom Faucet

TS8002\*†@&



One-Handle Low Profile Bathroom Faucet S8001 † (6)





Two-Handle Roman Tub Trim TS955 \* @ Image: Second S

#### EXACTTEMP° 3/4"



ExactTemp Valve Trim TS9711 \*@©



ExactTemp Volume Control Trim TS9712 \* @ S For showerhead options, see page 180

## Via®









#### TRANSFER VALVES



M-CORE<sup>™</sup> Transfer Valve Trim UTS2171 \* ♠ ම



Three Independent Function Transfer Valve Trim TS2172 \* @ Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim TS2171 \* 🗑 🕲 Use with valves 3372 or 3375



M-CORE 3S with Integrated Transfer Valve Trim UTS2811 \* @ ©



Posi-Temp° with Integrated Transfer Valve Trim TS8710 \* @ 🕲

#### M-CORE<sup>™</sup> 3-SERIES





**M-CORE 35 Tub/Shower Trim** UTS3773**\***⋒**©** UTS3773EP**\*◊⋒©** 

M-CORE 3S Shower Only Trim UTS3772\*@☺ UTS3772EP\*◊@☺

M-CORE 3S Valve Only Trim UTS3771\*@©

#### $\mathsf{POSI}\text{-}\mathsf{TEMP}^\circ$



**Posi-Temp Tub/Shower Trim** TS8713**\***¤**⋒©** TS8713EP**\***¤**◊⋒©** 

**Posi-Temp Shower Only Trim** TS8712**\*¤⋒☺** TS8712EP**\*¤◊⋒☺** 

Posi-Temp Valve Only Trim TS8711\*@©







12" Towel Bar

18" Towel Bar

24" Towel Bar

YB5012

YB5018

YB5024

#### MATCHING ACCESSORIES



Single Robe Hook YB5003



Hand Towel Bar YB5086



**Pivoting Paper Holder** YB5008 (P

#### COORDINATING ACCESSORIES



**90° Tank Lever** YB8801



**90° Drawer Knob** YB8805



**90° Drawer Pull** YB8807



**90º 12" Designer Grab Bar** YG8812

**90º 18" Designer Grab Bar** YG8818

**90° 24" Designer Grab Bar** YG8824

**90° 36" Designer Grab Bar** YG8836

**90° 42" Designer Grab Bar** YG8842





90° One Globe Bath Light YB8861



90° Two Globe Bath Light YB8862



**90° Three Globe Bath Light** YB8863



**90° Four Globe Bath Light** YB8864

#### VIA FINISH OPTIONS



Chrome

To view ordering instructions, see reference chart on pages 286-293.

- 🛱 Immersion Rainshower Technology
- Moen M•PACT° Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED\* points.



us All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.

### Doux<sup>™</sup>



#### LAVATORY FAUCETS



**One-Handle Bathroom Faucet** S6910 **† (3)** 



Two-Handle Widespread Bathroom Faucet TS6925 \*†⋒ ☺

#### TUB FILLER



Freestanding Tub Filler S3105 @ ©

#### ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower TS984 \* @ @



Two-Handle Roman Tub Trim

### Doux<sup>™</sup>









#### EXACTTEMP° 3/4"



ExactTemp Valve Trim TS3101 \* @ Image: State Sta



ExactTemp Volume Control Trim TS3102 \* 🎧 S For showerhead options, see page 203

#### TRANSFER VALVES



M-CORE™ Transfer Valve Trim UTS9204 \* ♠ ♥



Three Independent Function Transfer Valve Trim TS9205 \* Colored Solution Use with valve 3362 omly



Two- or Three-Function Transfer Valve Trim TS9204 \* @ & Use with valves 3372 or 3375



M-CORE 3S with Integrated Transfer Valve Trim UTS2611 \*@®



Posi-Temp° with Integrated Transfer Valve Trim TS2200 \* @ 🕲



### Doux



#### M-CORE<sup>™</sup> 3-SERIES







**M-CORE 3S Tub/Shower Trim** UTS3203\*@© UTS3203EP\***◊**@©

M-CORE 3S Shower Only Trim UTS3202\*@☺ UTS3202EP\*◊@☺

M-CORE 3S Valve Only Trim UTS3201\*@© MOENTROL°





Moentrol Tub/Shower Trim TS3203NH\*@©

Moentrol Shower Only Trim TS3202NH\*@©

Moentrol Valve Only Trim TS3201\*@© P0SI-TEMP<sup>®</sup>







Posi-Temp Tub/Shower Trim TS2203\*¤@© TS2203EP\*¤◊@© TS2203NH\*@©

**Posi-Temp Shower Only Trim** TS2202\*ଅ**ଲ ଓ** TS2202EP\***୦ ଲ ଓ** TS2202NH\***ଲ ଓ** 

Posi-Temp Valve Only Trim TS2201\*@©

## Doux<sup>™</sup>







#### MATCHING ACCESSORIES



Tank Lever YB0201



**Pivoting Paper Holder** YB0208 (P



Hand Towel Bar YB0286



Corner Shower Basket YB0275



Single Robe Hook YB0203



**18" Towel Bar** YB0218

**24" Towel Bar** YB0224

#### DOUX FINISH OPTIONS



Chrome, Brushed Nickel (BN), Matte Black (BL)

To view ordering instructions, see reference chart on pages 286-293.

- 🛱 Immersion Rainshower Technology
- ᢙ Moen M●PACT<sup>◦</sup> Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- lacktrian ADA-Compliant
- (P Pivoting Technology
- + All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense' labeling criteria and contribute toward maximizing LEED' points.


#### LAVATORY FAUCETS



**One-Handle Bathroom Faucet** 4500 † (6)



One-Handle Bathroom Faucet 4507 🕲



Two-Handle Centerset Bathroom Faucet 4505 † 🕲



Two-Handle Widespread Bathroom Faucet T4520 \*†ක ම



Two-Handle Widespread Bathroom Faucet T4524 \*†ක

#### TUB FILLERS



Freestanding Tub Filler Cross Handle 655 @ Lever Handle 655 @ ©

#### ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower

Cross Handle T658 \*@ Lever Handle T654 \*@©



Two-Handle Roman Tub Trim Cross Handle T657 \* Lever Handle T653 \*







#### EXACTTEMP° 3/4"



ExactTemp Valve Trim T6601 \*@©



ExactTemp Volume Control Valve Trim T6602 \* @ S For showerhead options, see page 203

#### TRANSFER VALVES



M-CORE™ Transfer Valve Trim UT4511 \* @ ම



Moentrol<sup>®</sup> with Integrated Transfer Valve Trim T5500 \* @ ©



Three Independent Function Transfer Valve Trim T4512 \* @ Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim T4511 \* 🔊 🕲 Use with valves 3372 or 3375



H-CORE 3S with Integrated Transfer Valve Trim UT5500 \* ♠ ●



Posi-Temp° with Integrated Transfer Valve Trim T4500 \* 🎧 🕲



#### M-CORE<sup>™</sup> 3-SERIES







**M-CORE 35 Tub/Shower Trim** UT35503\***@** UT35503EP\***◊@** 

**M-CORE 35 Shower Only Trim** UT35502\***@** UT35502EP\***◊@** 

M-CORE 3S Valve Only Trim UT35501\*@☺

#### MOENTROL°



**Moentrol° Tub/Shower Trim** T5503**\*@⊗** T5503NH**\*@⊗** 

Moentrol Shower Only Trim T5502\*@© T5502NH\*@©

Moentrol Valve Only Trim

#### P0SI-TEMP<sup>®</sup>





**Posi-Temp Tub/Shower Trim** T4503\***@** T4503EP\***◊@** T4503NH\***@** 

**Posi-Temp Shower Only Trim** T4502**\* @** T4502EP**\* ◊ @** T4502NH**\* @** 

Posi-Temp Valve Only Trim T4501\*@©



BIDET



Two-Handle Bidet Faucet

#### MATCHING ACCESSORIES



**Tank Lever** YB5201



Pivoting Paper Holder YB5208 (P



**Towel Ring** YB5286



**Double Robe Hook** YB5203



24" Double Towel Bar YB5222



**18" Towel Bar** YB5218

**24" Towel Bar** YB5224



Shower Basket YB5275

#### COORDINATING ACCESSORIES



**Kingsley<sup>®</sup> Drawer Knob** YB5405



**Kingsley Drawer Pull** YB5407





Waterhill<sup>®</sup> One Globe **Bath Light** YB9861



Waterhill Three Globe **Bath Light** YB9863



Waterhill Two Globe **Bath Light** YB9862



Waterhill Four Globe **Bath Light** YB9864

#### **FINISH OPTIONS**



Chrome, Brushed Nickel (BN). Lifeshine" Polished Nickel (NL), Oil Rubbed Bronze (ORB) Not all platforms available in all finishes. To view ordering instructions, see reference chart on pages 286-293.

- lpha Immersion Rainshower Technology
- ᢙ Moen M●PACT<sup>◦</sup> Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED<sup>®</sup> points.



coupus All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



#### LAVATORY FAUCETS



One-Handle Bathroom Faucet 6190 † 🕲



One-Handle Bathroom Faucet 6191 † Image: A constraint of the second seco



One-Handle Bathroom Faucet 6192 † Image: State S



Two-Handle Widespread Bathroom Faucet T6193 \*†@®

TUB FILLER



Freestanding Tub Filler

#### ROMAN TUB FAUCETS

70 AL

Two-Handle Roman Tub Trim with Handshower T394 \* @ ©



Two-Handle Roman Tub Trim T393 \* @ 🕲





#### EXACTTEMP° 3/4"



ExactTemp Valve Trim



ExactTemp Volume Control Valve Trim T4292 \*@®

#### TRANSFER VALVES



**M-CORE<sup>®</sup> Transfer** Valve Trim UT4191 \* **ເດຣ** 



M-CORE 3S with Integrated Transfer Valve Trim UT3290 \* @ ©



Three-Function Transfer Valve Trim T4192 \* @ ©



Moentrol<sup>®</sup> with Integrated Transfer Valve Trim T3290 \* @ ®



Posi-Temp° with Integrated Transfer Valve Trim T2190 \* @ @



Two- or Three-Function Transfer Valve Trim T4191 \* @ Use with valves 3372 or 3375



#### M-CORE<sup>™</sup> 3-SERIES







**M-CORE 35 Tub/Shower Trim** UT3293\***@** UT3293EP\***◊@** 

**M-CORE 35 Shower Only Trim** UT3292**\***@**©** UT3292EP**\*◊@©** 

M-CORE 3S Valve Only Trim UT3291\*@©

#### MOENTROL®



**Moentrol Tub/Shower Trim** T3293\*¤@© T3293NH**\*@©** 

Moentrol Shower Only Trim T3292\*¤කම T3292NH\*කම

Moentrol Valve Only Trim

POSI-TEMP°



**Posi-Temp Tub/Shower Trim** T2193\***@©** T2193EP\***◊@©** T2193NH\***@©** 

**Posi-Temp Shower Only Trim** T2192\***@ ଓ** T2192EP\***◊ @ ଓ** T2192NH\***@ ଓ** 

Posi-Temp Valve Only Trim

BIDET



Two-Handle Bidet Faucet T5191 \* කර ම







#### MATCHING ACCESSORIES



Swiveling Double Robe Hook YB0402



**Single Robe Hook** YB0403



**18" Towel Bar** YB0418





Pivoting Paper Holder YB0408 (P



Single-Post Paper Holder YB0409



Hand Towel Bar YB0486



**12" Designer Grab Bar** YG0412

**18" Designer Grab Bar** YG0418

**24" Designer Grab Bar** YG0424

**36" Designer Grab Bar** YG0436

**42" Designer Grab Bar** YG0442

#### COORDINATING ACCESSORIES



**Iso™ Drawer Knob** DN0705



**Iso Drawer Pull** DN0707





Iso™ One Globe Bath Light DN0761



Iso Two Globe Bath Light DN0762



Iso Three Globe Bath Light DN0763



Iso Four Globe Bath Light DN0764

#### ALIGN FINISH OPTIONS



Chrome, Brushed Nickel (BN), Matte Black (BL), Brushed Gold (BG)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 277-283.

- X Immersion Rainshower Technology
- Moen M•PACT° Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- ☞ Pivoting Technology
- t All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- $\diamond$   $\,$  All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED\* points.
- Note: Iso's Brushed Nickel (BN) accessories finish does not perfectly match faucet finish.



current sector of the sector o

### Voss™



#### LAVATORY FAUCETS



One-Handle Bathroom Faucet 6903 † (6)



Two-Handle Centerset Bathroom Faucet 6901 † 🕲



Two-Handle Widespread Bathroom Faucet T6905 \*†**ශ** ම



Two-Handle Wallmount Bathroom Faucet T6906 \*† බ ම

#### TUB FILLER



Freestanding Tub Filler

#### ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower



Two-Handle Roman Tub Trim T693 \* @ 🕲

### Voss™







#### EXACTTEMP° 3/4"



ExactTemp Valve Trim



ExactTemp Volume Control

#### TRANSFER VALVES



M-CORE<sup>-</sup> Transfer Valve Trim UT4611 \*@☺



Three Independent Function Transfer Valve Trim T4612 \* @ Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim T4611 \* 🔊 🚱 Use with valves 3372 or 3375



M-CORE 3S with Integrated Transfer Valve Trim

UT3611 \*@S



Posi-Temp° with Integrated Transfer Valve Trim T2690 \*@®

### Voss™



M-CORE<sup>®</sup> 3-SERIES









M-CORE 3S Tub/Shower Trim UT3693 \* 🔊 🕲 UT3693EP \***>@** 

M-CORE 3S Shower Only Trim UT3692\*@& UT3692EP \***>@** 

M-CORE 3S Valve Only Trim UT3691 \*@&

MOENTROL°





Moentrol Tub/Shower Trim T3693 \*¤@& T3693NH\*@&

Moentrol Shower Only Trim T3692\*X@ T3692NH**\*@&** 

Moentrol Valve Only Trim T3691\*68

POSI-TEMP°

BIDET



**Two-Handle Bidet Faucet** T5191 \* 🔊 🕲



Posi-Temp Tub/Shower Trim T2693 \* 🔊 🕲 T2693EP **\*◊@᠖** T2693NH \*@&

Posi-Temp Shower Only Trim T2692\*@& T2692EP\***\$@&** T2692NH \*@&

Posi-Temp Valve Only Trim T2691 \*@&

### $Voss^{TM}$







#### MATCHING ACCESSORIES



Tank Lever YB5101



**Double Robe Hook** YB5103



**18" Towel Bar** YB5118

**24" Towel Bar** YB5124



**Pivoting Paper Holder** YB5108 **P** 



Hairdryer Holder YB5170



Towel Ring YB5186



**12" Designer Grab Bar** YG5112

**18" Designer Grab Bar** YG5118

**24" Designer Grab Bar** YG5124

### Voss<sup>™</sup>



#### MATCHING ACCESSORIES



**One Globe Bath Light** YB5161



Two Globe Bath Light YB5162



**Three Globe Bath Light** YB5163



Four Globe Bath Light YB5164

#### COORDINATING ACCESSORIES



90°" Drawer Knob YB8805



90° Drawer Pull YB8807

#### **VOSS FINISH OPTIONS**



Chrome, Brushed Nickel (BN), Brushed Gold (BG), Lifeshine" Polished Nickel (NL), Oil Rubbed Bronze (ORB)

To view ordering instructions, see reference chart on pages 286-293.

- ${f lpha}$  Immersion Rainshower Technology
- ᢙ Moen M●PACT<sup>◦</sup> Common Valve System
- EP Eco-Performance NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- Rough-in valve required. Please see price catalog for \* rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water [compared to traditional showerheads] without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED\* points.

custed all lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



#### LAVATORY FAUCETS



One-Handle Bathroom Faucet 6402 † 🕲



Two-Handle Widespread Bathroom Faucet T6405\*↑@☺

TUB FILLER



Freestanding Tub Filler 9025 **බ**රී

#### ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower T9024 \* @ Image: State S



Two-Handle Roman Tub Trim T9023 \* @ 🕲



**Two-Handle Centerset Bathroom Faucet** 6401 **† (6)** 







#### EXACTTEMP° 3/4"



ExactTemp Valve Trim



#### TRANSFER VALVES



M-CORE<sup>-</sup> Transfer Valve Trim UT4301 \*@©



M-CORE 3S with Integrated Transfer Valve Trim UT3322\*@@



Posi-Temp° with Integrated Transfer Valve Trim T2310 \* @ ©



Two- or Three-Function Transfer Valve Trim T4301 \* @ 🕲



Moentrol° with Integrated Transfer Valve Trim T3322 \* ♠ ♥



#### M-CORE<sup>™</sup> 3-SERIES



UT3313\*@& UT3313EP\***¢@&** 

**M-CORE 3S Shower Only Trim** UT3312\***@** UT3312EP\***◊@** 

M-CORE 3S Valve Only Trim

MOENTROL®







Moentrol Tub/Shower Trim T3313NH\*@©

Moentrol Shower Only Trim T3312NH\*@©

Moentrol Valve Only Trim

POSI-TEMP°





**Posi-Temp Tub/Shower Trim** T2313\***@ ©** T2313EP\***◊@ ©** T2313NH\***@ ©** 

 Posi-Temp Shower Only Trim

 T2312\*¤∞७

 T2312EP\*¤◊∞७

 T2312NH\*∞७

Posi-Temp Valve Only Trim

## $\mathsf{Belfield}^{\scriptscriptstyle{\mathsf{M}}}$









#### MATCHING ACCESSORIES



**Tank Lever** YB6401



**Double Robe Hook** YB6403



**Pivoting Paper Holder** YB6408 (P



**18" Towel Bar** YB6418

**24" Towel Bar** YB6424







Hand Towel Bar YB6486



**12" Designer Grab Bar** YG6412

**18" Grab Bar** YG6418

**24" Grab Bar** YG6424





One Globe Bath Light YB6461



**Two Globe Bath Light** YB6462



Three Globe Bath Light YB6463



Four Globe Bath Light YB6464

#### **BELFIELD FINISH OPTIONS**



Chrome, Brushed Nickel (BN), Lifeshine<sup>®</sup> Polished Nickel (NL) (Ships Q2), Oil Rubbed Bronze (ORB), Matte Black (BL)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 286-293.

- X Immersion Rainshower Technology
- ᢙ Moen M●PACT<sup>◦</sup> Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water [compared to traditional showerheads] without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED\* points.



curve set of the set o

### Kingsley®



LAVATORY FAUCETS



**One-Handle Bathroom Faucet** 6102 **† (6)** 



Two-Handle Centerset Bathroom Faucet 6121 †©



Two-Handle Widespread Bathroom Faucet T6125 \* 18



Two-Handle Wallmount Bathroom Faucet T6107 \* @ † @

#### ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower T922 \* @ Image: State St



Two-Handle Roman Tub Trim

## Kingsley®







#### TRANSFER VALVES



**Two- or Three-Function Transfer Valve Trim** T4311 \* 🔊 🕲 Use with valves 3372 or 3375

MOENTROL°



Moentrol<sup>®</sup> with Integrated Transfer Valve Trim T4111 \* @ ©



Moentrol Valve Only Trim

POSI-TEMP°





**Posi-Temp Tub/Shower Trim** T2113\***@ ©** T2113EP\***◊ @ ©** T2113NH\***@ ©** 

 Posi-Temp Shower Only Trim

 T2112\*@©

 T2112EP\*O@©

 T2112NH\*@©

Posi-Temp Valve Only Trim

## Kingsley®







#### MATCHING ACCESSORIES



**Tank Lever** YB5401



**Double Robe Hook** YB5403



**Pivoting Paper Holder** YB5408 (P



**Drawer Knob** YB5405



Drawer Pull YB5407



**Towel Ring** YB5486



**24" Double Towel Bar** YB5422



**18" Towel Bar** YB5418

**24" Towel Bar** YB5424



**Vanity Shelf** YB5490



**Towel Shelf** YB5494

## **Kingsley**<sup>®</sup>





12" Designer Grab Bar YG5412

18" Designer Grab Bar YG5418

24" Designer Grab Bar YG5424

30" Designer Grab Bar YG5430

36" Designer Grab Bar YG5436

42" Designer Grab Bar YG5442

#### COORDINATING ACCESSORIES



Waterhill<sup>°</sup> One Globe **Bath Light** YB9861







Waterhill Two Globe Bath Light YB9862



Waterhill Four Globe Bath Light YB9864

#### **KINGSLEY FINISH OPTIONS**



Chrome, Brushed Nickel (BN), Oil Rubbed Bronze (ORB), Wrought Iron/Matte Black (WR) Wrought Iron and Matte Black are the same finish and interchangeable.

Not all platforms available in all finishes. To view ordering instructions, see reference chart on pages 2886-293.

- X Immersion Rainshower Technology
- ᢙ Moen M●PACT<sup>◦</sup> Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED\* points.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.

## Rizon®







#### LAVATORY FAUCETS



**One-Handle Bathroom Faucet** 6900 **† (6)** 



Two-Handle Widespread Bathroom Faucet T6920 \*† බා ල

#### ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower T936 \* @ 👁



Two-Handle Roman Tub Trim

### Rizon®



#### TRANSFER VALVES



Three Independent Function Transfer Valve Trim T2082 \* 🔊 🕲 Use with valve 3362 only



**Two- or Three-Function Transfer Valve Trim** T2081 \* @ @ Use with valves 3372 or 3375



M-CORE<sup>®</sup> Transfer Valve Trim UT2081 \* @ ©



Posi-Temp<sup>•</sup> with Integrated Transfer Valve Trim T2810 \*@®





M-CORE<sup>™</sup> 3-SERIES







M-CORE 3S Tub/Shower Trim UT3813EP\*�@☺

M-CORE 3S Shower Only Trim UT3812EP\*�@♥ M-CORE 3S Valve Only Trim

UT3811\*@&









 Posi-Temp Tub/Shower Trim

 T2813\*@☺

 T2813EP\*◊@☺

 T2813NH\*@☺

 Posi-Temp Shower Only Trim

 T2812\*@☺

 T2812EP\*◊@☺

 T2812NH\*@☺

Posi-Temp Valve Only Trim



## Rizon®



#### COORDINATING ACCESSORIES



Method<sup>™</sup> Tank Lever YB2401



Method Pivoting Paper Holder (P YB2408



Method Double Robe Hook YB2403



Method Hand Towel Bar YB2486



Method 18" Towel Bar YB2418

Method 24" Towel Bar YB2424



Method 18" Double Towel Bar YB2422

Method 24" Double Towel Bar YB2423

### RIZON FINISH OPTIONS



Chrome, Brushed Nickel **(BN)**, Matte Black **(BL)** Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 286-293.

- 🛱 Immersion Rainshower Technology
- Moen M•PACT° Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- lacktrian ADA-Compliant
- + All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- Rough-in valve required. Please see price catalog for rough-in model numbers.
   All indicated Moen flow-optimized
  - All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED\* points.

### Dartmoor™



#### LAVATORY FAUCETS



Two-Handle Centerset Bathroom Faucet 6802 †©



Two-Handle Widespread Bathroom Faucet T6805 \*†**ශ** ම

#### ROMAN TUB FAUCET



Two-Handle Roman Tub Trim

### Dartmoor<sup>™</sup>







#### TRANSFER VALVES



**Two- or Three-Function Transfer Valve Trim** T2031 \* @ @ Use with valves 3372 or 3375



M-CORE<sup>®</sup> Transfer Valve Trim UT2031 \* @ & Use with valves 3372 or 3375 POSI-TEMP°



Posi-Temp Tub/Shower Trim with Rainshower T2283EP\*◊@☺

Posi-Temp Shower Only Trim with Rainshower T2282EP\*◊♫☺



**Posi-TempTub/Shower Trim** T2183\***@®** T2183EP\***◊@®** 

 Posi-Temp Shower Only

 Trim

 T2182\*@☺

 T2182EP\*◊@☺

Posi-Temp Valve Only Trim T2181\*@©

### Dartmoor™







#### MATCHING ACCESSORIES



Tank Lever YB2101



Paper Holder YB2108



**Towel Ring** YB2186



**Double Robe Hook** YB2103



**18" Towel Bar** YB2118

**24" Towel Bar** YB2124

#### COORDINATING ACCESSORIES



Flara<sup>•</sup> Drawer Knob YB0305



**Flara Drawer Pull** YB0307



**Belfield<sup>-</sup> 12" Grab Bar** YG6412

**Belfield 18" Grab Bar** YG6418

**Belfield 24" Grab Bar** YG6424

### Dartmoor<sup>™</sup>



#### COORDINATING ACCESSORIES



Belfield<sup>®</sup> One Globe **Bath Light** YB6461



**Belfield Two Globe Bath Light** YB6462



**Belfield Three Globe Bath Light** YB6463



**Belfield Four Globe Bath Light** YB6464

#### DARTMOOR FINISH OPTIONS



Chrome, Brushed Nickel (BN), Oli Rubbed Bronze (ORB) To view ordering instructions, see reference chart on pages 286-293.

- X Immersion Rainshower Technology
- ᢙ Moen M●PACT<sup>◦</sup> Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED° points.



course All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs LISTED not included.

## Glyde™







#### LAVATORY FAUCETS



Two-Handle Centerset Bathroom Faucet 6172 †©



Two-Handle Widespread Bathroom Faucet T6173 \*†කල

#### ROMAN TUB FAUCETS



**Two-Handle Roman Tub Trim** 

#### TRANSFER VALVES



**Two- or Three-Function Transfer Valve Trim** T2721 \* 🔊 🕲 Use with valves 3372 or 3375



M-CORE<sup>∼</sup> Transfer Valve Trim UT2721 \*@©

POSI-TEMP°





Posi-Temp Tub/Shower Trim with Rainshower T2843EP\*�@®

Posi-Temp Shower Only Trim with Rainshower T2842EP\*�@☺







**Posi-Temp Tub/Shower Trim** T2743**\*@᠖** T2743EP**\*◊@᠖** 

**Posi-Temp Shower Only Trim** T2742\***@** T2742EP\***◊@** 

Posi-Temp Valve Only Trim

### Glyde™







#### MATCHING ACCESSORIES



Double Robe Hook YB2303



Paper Holder YB2308



Towel Ring YB2386



**18" Towel Bar** YB2318

**24" Towel Bar** YB2324

**Doux™ Tank Lever** YB0201



**Iso<sup>•</sup> Drawer Knob** YB0705



**Iso Drawer Pull** YB0707





Chrome, Brushed Nickel (BN), Matte Black (BL) To view ordering instructions, see reference chart on pages 286-293.

- X Immersion Rainshower Technology
- Moen M•PACT° Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- + All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED\* points.

## Vichy<sup>™</sup>





#### LAVATORY FAUCET



**One-Handle Bathroom Faucet** 6710 **†** 

POSI-TEMP°



T2663EP\*�@© T2663NH\*@© Poci-Tomp Showor Only Trim

Posi-Temp Shower Only Trim T2662EP\***ୁଇ ଓ** T2662NH**\* ଲ ଓ** 

Posi-Temp Valve Only Trim

## Vichy<sup>™</sup>





#### COORDINATING ACCESSORIES



Genta<sup>®</sup> Single Robe Hook BH3803



Genta Pivoting Paper Holder BH3808 (P



Genta 18" Towel Bar BH3818

Genta 24" Towel Bar BH3824



Genta Hand Towel Bar BH3886



#### VICHY FINISH OPTIONS



Chrome To view ordering instructions, see reference chart on pages 286-293.

💢 Immersion Rainshower Technology

- Moen M•PACT° Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- (P Pivoting Technology
- + All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED\* points.

## Brantford®



#### LAVATORY FAUCETS



**One-Handle Bathroom Faucet** 6600 **†** 



Two-Handle Widespread Bathroom Faucet T6620 \*†ක ම



Two-Handle Centerset Bathroom Faucet 6610 †©

#### GARDEN TUB FAUCET



Two-Handle Garden Tub Faucet T4943 \*@®

#### ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower T924 \* @ Image: State St



Two-Handle Roman Tub Trim

#### TRANSFER VALVES



Two- or Three-Function Transfer Valve Trim T2021 \* 🔊 🕲 Use with valve 3372 or 3375



M-CORE<sup>®</sup> Transfer Valve Trim UT2021 \* @ ©
### Brantford®









BIDET FAUCET



Two-Handle Bidet Faucet

POSI-TEMP°



Posi-Temp Tub/Shower Trim with Rainshower T2253EP \*◊@☺

Posi-Temp Shower Only Trim with Rainshower T2252EP \*�@☺





Posi-Temp Tub/Shower Trim T2153 \* ⋒ ☺ T62153EP \* ◊ ⋒ ☺ T62153NH \* ⋒ ☺

 Posi-Temp Shower Only Trim

 T2152 \* ♠ ♥

 T62152EP \* ♦ ♠ ♥

 T62152NH \* ♠ ♥

Posi-Temp Valve Only Trim T2151 \* @ 🕲







Posi-Temp Tub/Shower with Remodel Valve Trim T2157EP \*◊@☺

### Brantford®



#### MATCHING ACCESSORIES



Tank Lever YB2201



**Double Robe Hook** YB2203



Paper Holder YB2208



**Towel Ring** YB2286



**18" Towel Bar** YB2218

**24" Towel Bar** YB2224



**12" Designer Grab Bar** YG2212

**18" Designer Grab Bar** YG2218

**24" Designer Grab Bar** YG2224



**One Globe Bath Light** YB2261



**Two Globe Bath Light** YB2262

### **Brantford**<sup>®</sup>





Three Globe Bath Light YB2263



Four Globe Bath Light YB2264

### COORDINATING ACCESSORIES



Kingsley™ Drawer Knob YB5405



**Kingsley Drawer Pull** YB5407

### **BRANTFORD FINISH OPTIONS**



Chrome, Brushed Nickel (BN), Oli Rubbed Bronze (ORB) To view ordering instructions, see reference chart on pages 286-293.

- X Immersion Rainshower Technology
- ᢙ Moen M●PACT<sup>◦</sup> Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED<sup>®</sup> points.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.

### Eva®



#### LAVATORY FAUCETS



**One-Handle Bathroom Faucet** 6400 **†** 



Two-Handle Centerset Bathroom Faucet 6410 † 🕲



Two-Handle Widespread Bathroom Faucet T6420 \*†@ ම

#### ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower



Two-Handle Roman Tub Trim T943 \* ♠ ♥

### TRANSFER VALVES



Two- or Three-Function Transfer Valve Trim T2011 \* @ Use with valves 3372 or 3375



M-CORE™ Transfer Valve Trim UT2011 \* @ ම

Eva®









BIDET



Two-Handle Bidet Faucet

POSI-TEMP°



Posi-Temp Tub/Shower Trim with Rainshower T2233EP\*�@ ☺



Posi-Temp Tub/Shower Trim with Remodel Valve T2137EP\*◊ጮ☺



Posi-Temp Tub/Shower Trim T2133\*@☺ T62133EP\*�@☺ T62133NH\*@☺

 Posi-Temp Shower Only Trim

 T2132\*@☺

 T62132EP\*◊@☺

 T62132NH\*@☺

Posi-Temp Valve Only Trim T2131\*@©



### MATCHING ACCESSORIES



Tank Lever YB2801



Single Robe Hook YB2803



Paper Holder YB2808



**Towel Ring** YB2886



**Towel Shelf** YB2894



**18" Towel Bar** YB2818

**24" Towel Bar** YB2824



**12" Designer Grab Bar** YG2812

**18" Designer Grab Bar** YG2818

**24" Designer Grab Bar** YG2824

### COORDINATING ACCESSORIES



**Iso<sup>®</sup> Drawer Knob** YB0705



**Iso Drawer Pull** YB0707



#### MATCHING ACCESSORIES



**One Globe Bath Light** YB2861



Two Globe Bath Light YB2862



**Three Globe Bath Light** YB2863



Four Globe Bath Light YB2864

#### EVA FINISH OPTIONS



Chrome, Brushed Nickel (BN), Oil Rubbed Bronze (ORB) To view ordering instructions, see reference chart on pages 286-293.

- 🛛 Immersion Rainshower Technology
- Moen M•PACT° Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- All indicated Moen law faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- Rough-in valve required. Please see price catalog for rough-in model numbers. \*
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED\* points.

current sector of the sector o

### Method™



### LAVATORY FAUCETS



**One-Handle Bathroom Faucet** 6810 **†** 



**One-Handle Bathroom Faucet with Vessel Extension** 6810**†** • A2020



Two-Handle Widespread Bathroom Faucet T6820 \*@†☺

### Method™





#### ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim

### TRANSFER VALVES



Posi-Temp° with Integrated Transfer Valve Trim T2800 \* 🗑 🕲

POSI-TEMP°



T2802EP**\*◊@᠖** T2802NH**\*@᠖** 

Posi-Temp Valve Only Trim T2801\*@©

### Method<sup>™</sup>







#### MATCHING ACCESSORIES



**Tank Lever** YB2401



**Double Robe Hook** YB2403



**Pivoting Paper Holder** YB2408



**9" Hand Towel Bar** YB2486



**18" Towel Bar** YB2418

**24" Towel Bar** YB2424



**18" Double Towel Bar** YB2422

**24" Double Towel Bar** YB2423

### COORDINATING ACCESSORIES



**Iso™ Drawer Knob** DN0705



**Iso Drawer Pull** DN0707



**90°™ 12" Designer Grab Bar** YG8812

**90º 18" Designer Grab Bar** YG8818

**90° 24" Designer Grab Bar** YG8824

**90º 36" Designer Grab Bar** YG8836

**90° 42" Designer Grab Bar** YG8842

### Method<sup>™</sup>



### COORDINATING ACCESSORIES



Iso<sup>™</sup> One Globe Bath Light DN0761



Iso Two Globe Bath Light DN0762



Iso Three Globe Bath Light DN0763



Iso Four Globe Bath Light DN0764

### METHOD FINISH OPTIONS



#### Chrome, Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 286-293.

- X Immersion Rainshower Technology
- ᢙ Moen M●PACT<sup>◦</sup> Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED\* points.
- Note: Iso's Brushed Nickel (BN) accessories finish does not perfectly match faucet finish.

curve All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.

### Gibson™



### LAVATORY FAUCETS



One-Handle Bathroom Faucet 6145 †©



Two-Handle Centerset Bathroom Faucet 6150 † 🕲



Two-Handle Widespread Bathroom Faucet T6142 \*†@®

#### ROMAN TUB FAUCET



Two-Handle Roman Tub Trim

### Gibson<sup>™</sup>







TRANSFER VALVES



M-CORE<sup>~</sup> Transfer Valve Trim UT2921 \* @ ©



Posi-Temp with Integrated Transfer Valve Trim T2900 \* @ 🕲



Three Independent Function Transfer Valve Trim T2922 \* @ S Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim T2921 \* @ ®

POSI-TEMP°









Posi-Temp Tub/Shower Trim with Rainshower T3003EP\*◊@☺

Posi-Temp Tub/Shower Trim with Rainshower T3002EP\*◊@☺





 Posi-Temp Tub/Shower Trim

 T2903EP\*◊@☺

 T2903NH\*@☺

Posi-Temp Shower Only Trim T2902EP\*�@☺ T2902NH\*@☺

Posi-Temp Valve Only Trim T2901\*@©





#### COORDINATING ACCESSORIES



**Iso<sup>®</sup> Single Robe Hook** DN0703



Iso Pivoting Paper Holder DN0708 (P



**Iso Towel Ring** DN0786



**Iso 18" Towel Bar** DN0718

**Iso 24" Towel Bar** DN0724

#### **GIBSON FINISH OPTIONS**



Chrome, Brushed Nickel **(BN)**, Matte Black **(BL)** 

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 286-293.

- 🛱 Immersion Rainshower Technology
- Moen M•PACT<sup>®</sup> Common Valve System
- EP Eco-Performance
- NH Without Showverhead
- ADA-Compliant
- (P Pivoting Technology
- All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED\* points.

### Genta<sup>™</sup>



#### LAVATORY FAUCETS



**One-Handle Bathroom Faucet** 6702 **† (6)** 



Two-Handle Widespread Bathroom Faucet T6708 \*†කල

### ROMAN TUB FAUCET



Two-Handle Roman Tub Trim

### Genta<sup>™</sup>



#### TRANSFER VALVES



M-CORE<sup>®</sup> Transfer Valve Trim UT2401\*@&



**Three Independent Function Transfer Valve Trim** T2402\*@& Use with valve 3362 only



Posi-Temp° with Integrated Transfer Valve Trim T2470 \*@&



Two- or Three-Function **Transfer Valve Trim** T2401 \*@& Use with valves 3372 or 3375







POSI-TEMP°



Posi-Temp Tub/Shower Trim T2473EP**\*◊@᠖** T2473NH\*@&

Posi-Temp Shower Only Trim T2472EP**\*◊@᠖** T2472NH\*@&

Posi-Temp Valve Only Trim T2471\*@&

### Genta<sup>™</sup>





### MATCHING ACCESSORIES



Single Robe Hook BH3803



Hand Towel Bar BH3886



Pivoting Paper Holder BH3808 (P



**18" Towel Bar** BH3818

**24" Towel Bar** BH3824

### GENTA FINISH OPTIONS



Chrome, Brushed Nickel (BN), Matte Black (BL)

To view ordering instructions, see reference chart on pages 286-293.

- $\ensuremath{\ensuremath{\boldsymbol{\Omega}}}$   $% \ensuremath{\ensuremath{\mathsf{Immersion}}}$  Immersion Rainshower Technology
- ᢙ Moen M●PACT<sup>◦</sup> Common Valve System
- EP Eco-Performance
- NH Without Showverhead
- ADA-Compliant
- Pivoting Technology
- All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water [compared to traditional showerheads] without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED\* points.

### **Chateau**<sup>®</sup>

### LAVATORY FAUCETS



**One-Handle Bathroom** Faucet L4601 **†** 



**One-Handle Bathroom** Faucet L4635 **†** 



**One-Handle Bathroom** Faucet L4605**†©** 



Two-Handle Centerset Bathroom Faucet 4925 🕇 🕲



### ROMAN TUB FAUCETS



**One-Handle Bathroom** Faucet L4621 + 🕒



Two-Handle Widespread Bathroom Faucet 4945 \***†**®



Two-Handle Roman Tub Trim T999\*@



Two-Handle Roman Tub Trim with Handshower T991 \* 🔊 🕲



**Two-Handle Roman Tub** Trim T990\*@&

### GARDEN TUB FAUCETS



Two-Handle Garden Tub 4902 **@** 



Two-Handle Garden Tub T994 \* 🔊 🕲



**One-Handle Bathroom** Faucet L4625 + 🕲



Two-Handle Widespread

Bathroom Faucet

4962 \*†

### **Chateau**<sup>®</sup>



POSI-TEMP°



Tub/Shower Trim TL183\*@&/TL183EP\*@\$

Shower Only Trim TL182\*@\$/TL182EP\*\$@\$ TL182NH\*@&

Shower Only Trim with Valve 2352\*/L2352\*@& / L2352EP\*0@&

Valve Only Trim with Valve L2361\*@&



Tub/Shower with Remodel Valve Trim Only TL2369EP\*0@6

Tub/Shower with Remodel Valve Trim L2369EP\*◊&

Shower Remodel Valve Trim Only TL2368EP\*066

Shower Remodel Valve Only with Trim L2368EP\*0@6





Standard Tub/Shower Trim T471\*⊗ T471EP\*◊⊗

Standard Shower Only Trim T473\*⊗ T473EP\*◊⊗





Standard Tub/Shower Trim TL471\*& TL471EP\*◊᠖



Standard Tub/Shower Trim with Valve 2995EP 🛇

Standard Tub/Shower Trim with Valve 2919EP� 2982EP�

### Chateau®



BIDET



Two-Handle Bidet Faucet

### COORDINATING ACCESSORIES



Mason<sup>•</sup> Double Robe Hook YB8003



Mason Paper Holder (Roller Only) YB8099 + Mason Mounting Posts (Pair) YB8000



Mason Towel Ring YB8086



Mason Double Paper Holder YB8088 (3 mounting posts, roller not included) + Mason Mounting Posts (Pair) YB8000

### **Chateau**<sup>®</sup>



#### Mason 24" Towel Bar (Bar Only) YB8094

+ Mason Mounting Posts (Pair) YB8000



Mason 18" Towel Bar (Bar Only) YB8098

+Mason Mounting Posts (Pair) YB8000

### CHATEAU FINISH OPTIONS



Chrome

To view ordering instructions, see reference chart on pages 286-293.

- 🛛 Immersion Rainshower Technology
- Moen M•PACT<sup>®</sup> Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED° points.

## **Custom Showering**



**Nebia by Moen<sup>™</sup>** Featured in Chrome Finish









Voss<sup>™</sup> Tub Filler 695 Overhead-Mount Rainshower Showerhead S1004

# Now there's a shower to go with every body.

With expanded lines of tub fillers, body jets, rainshowers, handheld showers and the **U by Moen™** showering system, an at-home spa is right at your fingertips. Experience the ultimate in customization and transform any bathroom into a personalized escape, no matter the size and space.

There are numerous configurations for pairing products to create the perfect system for you. Combine a four-outlet U by Moen system with a showerhead, rainshower, handshower and body sprays, and bring the spa home. From soothing aching muscles to overindulging in self-care, there's a combination for every need.

# **Digital Showering**





前

4

### Once upon a time,

### people turned a handle to start their shower.

That was before Moen<sup>®</sup> made it possible to start your shower with the sound of your voice or a tap on your smartphone. Smart home assistants, such as Amazon's Alexa, allow us to adjust lighting to fit our mood, play our favorite music and even order late-night pizza. So why not use the same technology to make an everyday shower amazing?

Compatible with Amazon Alexa, Apple HomeKit and Google Home, **U by Moen**<sup>™</sup> connects to your Wi-Fi for a customizable shower experience for your whole smart home portfolio. U by Moen remembers personalized settings by name and offers elegant finishes to fit harmoniously with any shower design. Make your shower work for you — all at the sound of your voice or the touch of an app.

With U by Moen, the wave of the future starts with a shower designed just for you.



- Personalized setting for every occasion
- Remote activation with Amazon Alexa, Apple HomeKit, Google Home and U by Moen smartphone apps
- Digital controller with LCD display
- Water-saving warm-up and pause
- Flexible installation with two- and four-outlet valves and controllers







(Available Q1)





(Available Q2)





### Digital Showering for Every Space

BY MOEN"

U by Moen™ with Two- and Four-Outlet Controller and Valve From cozy showers to spacious spas, **U by Moen** combines luxuries such as body sprays and hand showers that turn a shower into an escape. Available with a two-outlet digital controller and valve for smaller spaces and a four-outlet digital controller and valve for larger spaces, make any shower you get in feel like getting away.

#### Two- and Four-Outlet Controllers

- Wi-Fi connected shower controller
- Easy-to-read 5-inch non-touch LCD screen
- Soft-touch buttons for each outlet and power, temperature and present buttons
- Stylish matte black and terra beige finishes coordinate with any shower design
- Five-Year Limited Warranty

#### Two- and Four-Outlet Valves

- Thermostatic digital valve with precise temperature and outlet control
- Compact valve design and 30-foot data cable for flexibility in install locations
- Easy servicing with accessible filter screens
- Optional battery backup kit (179573) for continued operation during power outages
- Four-outlet valve uses ¾" inlets and ½" outlets; 16.0 gpm flow rate
- Two-outlet valve uses 1/2" inlets and 1/2" outlets; 10.3 gpm flow rate
- Five-Year Limited Warranty

#### Smartphone App

• Operates U by Moen shower remotely and allows customization and personalization of many additional preferences

#### **Voice Activation**

• Compatible with Amazon Alexa, Apple HomeKit and Google Home



U by Moen Two-Outlet Controller TS3302TB, TS3302BL



U by Moen Two-Outlet Valve S3102



U by Moen Four-Outlet Controller TS3304TB, TS3304BL



U by Moen Four-Outlet Valve S3104

#### Compatible with:







### Shower Spa

### EXACTTEMP® 3/4" THERMOSTATIC SHOWERING

 $\label{eq:choose} Choose up to four showering products-rainshowers, handshowers or body sprays-in any combination you desire.$ 



Weymouth® Valve Trim TS32110 \*@©



Weymouth Volume Control TS52104 \*@®



Arris® Valve Trim TS33002 \*@®

Volume Control

TS33003 \*@&



Flara™ Valve Trim TS4201 \*@©



Flara Volume Control TS4202 \*@®



Valve Trim TS44401 \*@@



Colinet Volume Control TS44402 \*@©



90°™ Valve Trim TS3100 \*@©



**90° Volume Control** TS3300 \*@©



Moen® Valve Trim TS3411 \*@®



Moen Volume Control TS3600 \***ශ**ම



Via® Valve Trim TS9711 \*@@



Via Volume Control TS9712 \* @ ©



Arris

Doux<sup>™</sup> Valve Trim TS3101 \*@©



Doux Volume Control TS3102 \*@©



Wynford® Valve Trim T6601 \*@®



Wynford Volume Control T6602 \*@®



Align<sup>®</sup> Valve Trim T4291 \*@@



Align Volume Control T4292 \*@®



Voss<sup>™</sup> Valve Trim T4691 \*@©



Voss Volume Control T4692 \*@®



Belfield<sup>™</sup> Valve Trim T4411 \*@©



Belfield Volume Control T4412 \*@®

- Moen M●PACT<sup>®</sup> Common Valve System
- lacktrian ADA-Compliant
- Rough-in valve required. Please see price catalog for rough-in model numbers.

Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages 286-289.



The **ExactTemp®** valve uses thermostatic technology for precise temperature control while delivering the high-volume capability to feed multiple showering devices. Its thermostatic cartridge automatically compensates for fluctuations in hot and cold water supply to ensure comfort and pinpoint temperature accuracy. There's no need to readjust temperature as your hot water tank begins to cool. In addition, the handle position sets maximum water temperature and temperature memory, so you can easily dial up the same experience day after day.



### M-CORE<sup>™</sup> WITH TRANSFER VALVE

Introducing **M-CORE**, a valve system that's faster to install and offers functionality with desired style choices to create and ideal shower system.



Weymouth® with Transfer Valve UTS4311 \*@&



**Arris**<sup>®</sup> with Transfer Valve UTS3311 \*@&



Flara® with Transfer Valve UTS2411 \*@&



Colinet™ with Transfer Valve UTS9211 \*@&



**90**º™ with Transfer Valve UTS9011 \*@&



Doux™ with Transfer Valve UTS2611 \*@&



Voss™ with Transfer Valve UT3611 \*@&



Wynford® with Transfer Valve UT5500\*@&

Belfield™

Valve

with Transfer

UT3322\*@&



Align® with Transfer Valve UT3290\*@6



Via®

Valve

with Transfer

UTS2811 \*@&





### A Designer's Dream

Enjoy **M-CORE™**'s improved style options including perfectly matching transfer trim, and attention to details that reflects a desire for a dream bathroom. Not only does M-CORE allow for a wider array of trim selections, it also lets those going through the new construction or remodeling process take their time with selections as functionality and style choices can be made after the valve is plumbed.

With M-CORE transfer valves, consumers can choose from a wide range of options to flow showering devices in a single or shared mode.

- Offers 3 or 6 function transfer ability:
   3 function: Three distinct or two distinct/one shared
   6 function: Three distinct or three shared
- Broad range of finishes and perfectly matched style



Weymouth® Transfer Valve Trim UTS32205 \*@@



Arris® Transfer Valve Trim UTS23005 \*@@



Flara® Transfer Valve Trim UTS4911 \*@®



90º™ Transfer Valve Trim UTS4172 \*@©



Via® Transfer Valve Trim UTS2171 \*@@



Doux™ Transfer Valve Trim UTS9204 \*@©



Wynford® Transfer Valve Trim UT4511 \*@@



Voss<sup>™</sup>

Transfer Valve Trim UT4611 \*@@



Belfield<sup>™</sup> Transfer Valve Trim UT4301 \*@©



Rizon® Transfer Valve Trim UT2081 \*@©



Dartmoor™ Transfer Valve Trim UT2031 \*@©



Glyde<sup>™</sup> Transfer Valve Trim UT2721 \*@©



Brantford® Transfer Valve Trim UT2021 \*@©



Eva® Transfer Valve Trim UT2011 \*@®



Gibson<sup>™</sup> Transfer Valve Trim UT2921 \*@©



Genta<sup>™</sup> Transfer Valve Trim UT2401 \*@☺

## Shower Spa

### MOENTROL<sup>®</sup>

Operate one function at a time, such as showerhead or handshower, or operate two functions simultaneously.

Our **Moentrol** and **Posi-Temp®** valves offer the ability to incorporate two-or three-function transfer valves for exactly the shower experience you want. Both valves let you select from a broad range of modern, transitional and traditional suites.

- Two-function design offers two distinct operations, such as a showerhead or handshower.
- Three-function design permits the operation of one showering device at a time (i.e., showerhead or handshower) or the combination of both.
- Three independent functions allow for singular operation of any one of three showering devices (i.e., showerhead, handshower or tub spout).



### Shower Spa



Weymouth<sup>®</sup> Valve Trim TS33101 \*@@



Weymouth Two- Or Three-**Function Transfer** Valve Trim TS32205\*@& Use with valves 3372 or 3375



Arris<sup>®</sup> Valve Trim TS32001\*@@



Arris Two- Or Three-**Function Transfer** Valve Trim TS23005\*@@ Use with valves 3372 or 3375



Flara® Valve Trim TS3911\*@&



Flara Two- Or Three-**Function Transfer** Valve Trim TS4911 \*@& Use with valves 3372 or 3375



90° Valve Trim TS3711\*@&



900 Two- Or Three-**Function Transfer** Valve Trim TS4172\*@& Use with valves 3372 or 3375



Doux™ Valve Trim TS3201\*@@



Doux Two- Or Three-**Function Transfer** Valve Trim TS9204\*@@ Use with valves 3372 or 3375



Belfield™ Valve Trim T3311 \*@&



Belfield Two- Or Three-**Function Transfer** Valve Trim T4301\*@& Use with valves 3372 or 3375



Wvnford<sup>®</sup> Valve Trim T5501\*@&



Wynford Two- Or Three-**Function Transfer** Valve Trim T4511 \*@@ Use with valves 3372 or 3375



Valve Trim T3111 \*@&



Kingsley Two- Or Three-**Function Transfer** Valve Trim T4311 \*@& Use with valves 3372 or 3375



Align® Valve Trim T3291\*@@



Align Two- Or Three-**Function Transfer** Valve Trim T4191 \*@& Use with valves 3372 or 3375



Voss<sup>™</sup> Valve Trim T3691\*@@



Voss Two- Or Three-**Function Transfer** Valve Trim T4611 \*@& Use with valves 3372 or 3375

Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages 286-289.

G Moen M●PACT<sup>®</sup> Common Valve System ADA-Compliant

\* Rough-in valve required. Please see price catalog for rough-in model numbers.
#### MOENTROL® THREE-FUNCTION

Choose up to two spray outlets — handshowers, showerheads or two body sprays — in addition to tub shower.



Weymouth® Valve Trim TS33101 \*@®



Weymouth Three Independent Function Transfer Valve Trim TS 32206 \* @ Use with valve 3362 only



Arris<sup>®</sup> Valve Trim TS32001 \*@©



Arris Three Independent Function Transfer Valve Trim TS23006 \* @ © Use with valve 3362 only



Flara<sup>™</sup> Valve Trim TS3911 \*@©



Flara Three Independent Function Transfer Valve Trim TS 4912 \* @ @ Use with valve 3362 only



90º™ Valve Trim TS3711 \*@©



Three Independent Function Transfer Valve Trim TS 4173 \* © © Use with valve 3362 only



Doux<sup>™</sup> Valve Trim TS3201 \*@©



Doux Three Independent Function Transfer Valve Trim TS9205 \* (Constraint) Use with valve 3362 only



Wynford® Valve Trim T5501 \*@©



Wynford Three Independent Function Transfer Valve Trim T4512 \* @ @ Use with valve 3362 only



Align® Valve Trim T3291 \*@©



Align Three Independent Function Transfer Valve Trim T4192 \* @ @ Use with valve 3362 only



Voss<sup>™</sup> Valve Trim T3691 \*@©



Voss Three Independent Function Transfer Valve Trim T4 612 \* @ @ Use with valve 3362 only



#### MOENTROL® MULTI-FUNCTION

With built-in two- or three-function transfer valve.

Choose up to two showering products — handshowers, showerheads or two body sprays — in any combination you desire.



**Wynford®** T5500 \***@®** 



**Align®** T3290 \***@©** 



T3322\*@&



Kingsley® T4111 \***ଜ୍ଞ** 

Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages 286-289.

Moen M•PACT® Common Valve System

- ADA-Compliant
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.





#### POSI-TEMP® WITH TRANSFER VALVE



Weymouth® Posi-Temp with Transfer Valve TS32100 \*@®



Doux<sup>™</sup> Posi-Temp with Transfer Valve TS2200 \* ♠ �



Arris® Posi-Temp with Transfer Valve TS2200 \*@©



Wynford® Posi-Temp with Transfer Valve T4500 \*@®



90º™ Posi-Temp with Transfer Valve TS2710 \* @ ☺



Align® Posi-Temp with Transfer Valve T2190 \*@@



Via® Posi-Temp with Transfer Valve TS8710 \*@®



Voss<sup>™</sup> Posi-Temp with Transfer Valve T2690\*@®



### POSI-TEMP® MULTI-FUNCTION

With built in two- or three-function transfer valve.

Choose up to two showering devices – handshowers, showerheads or two body sprays – in any combination you desire.



Belfield<sup>™</sup> Posi-Temp with Transfer Valve T2310 \*@©



Genta<sup>™</sup> Posi-Temp with Transfer Valve T2470 \*@



Rizon® Posi-Temp with Transfer Valve T2810 \*@®



Method<sup>™</sup> Posi-Temp with Transfer Valve T2800 \* @ ☺



Gibson<sup>™</sup> Posi-Temp with Transfer Valve T2900 \* @ ම

Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages 286-289.

ᢙ Moen M●PACT<sup>®</sup> Common Valve System

ADA-Compliant

 Rough-in valve required. Please see price catalog for rough-in model numbers.

#### POSI-TEMP®

Choose up to two showering products — handshowers, showerheads or two body sprays — in addition to tub spout if desired.



Via® Valve Trim TS8711 \*@®

ସନ Transfer Valve Trim TS2172 \***ଲ୍ଡ** 

Transfer Valve Trim

Valve Trim

Kingsley Transfer Valve Trim T4311 \*@©

#### VALVE TRIM **3 INDEPENDENT** 2-OR-3 FUNCTION VALVE TRIM **3 INDEPENDENT** 2-OR-3 FUNCTION Use with valves 3372 or 3375 Use with valves 3372 or 3375 FUNCTIONS FUNCTIONS Use with valve 3362 Use with valve 3362 **Rizon**® Rizon Vichy" Rizon Valve Trim Transfer Valve Trim **Transfer Valve Trim** Valve Trim T2811\*@6 T2661 \*@@ T2082\*@@ T2081\*@@ Dartmoor™ Dartmoor Gibson™ Gibson Gibson **Transfer Valve Trim** Valve Trim Transfer Valve Trim Valve Trim **Transfer Valve Trim** T2181 \*@& T2031\*@& T2901\*@6 T2922\*@& T2921\*@& Glyde™ Glyde Genta™ Genta Genta Valve Trim **Transfer Valve Trim Transfer Valve Trim** Valve Trim **Transfer Valve Trim** T2741 \*@& T2471\*@& T2401\*@& T2721\*@& T2402\*@& Brantford **Brantford® Transfer Valve Trim** Valve Trim T2021\*@& T2151 \*@& Eva® Eva **Transfer Valve Trim** Valve Trim T2131 \*@& T2011\*68 Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages 286-289. Method™ Valve Trim ᢙ Moen M●PACT<sup>®</sup> Common Valve System T2801\*@6 ADA-Compliant \* Rough-in valve required. Please see price catalog for rough-in model numbers.



Annex® Featured in Chrome



Annex Shower Rail TS366NH

Showerhead and handheld shower sold seperately

To order, combine the model number with one of these finish letter(s): Chrome (CH), LifeShine® Brushed Nickel (BN), Oil Rubbed Bronze (ORB), Wrought Iron / Matte Black (BL).

#### $\mathsf{ANNEX}^{{}^{\scriptscriptstyle{\mathsf{M}}}}$

With industrial-inspired sophistication, Moen's **Annex** Shower Rail combines fashion and function, letting you enjoy both the showerhead and handshower of your choice.

Versatile Annex installs without disturbing existing tile or having to change the height of the showerhead, so you can easily add a handshower to your shower design.

With 2½" adjustability between the shower rail and wall, Annex installs easily against any surface. In addition, it mounts directly to a flush wall or a wall with up to a 1" offset. The secure Annex mounting system meets ADA pull-force requirements, up to 250 lbs. Annex pairs with Moentrol® or Posi-Temp® valves and corresponding trims.



 $\textbf{Nebia by Moen}^{\mbox{\tiny M}}$  Featured in Chrome Finish





#### NEBIA BY MOEN™

A Blissful Shower Experience That Saves Water

**Nebia by Moen** leverages the best of science and technology to create a showering experience engineered for optimal warmth, rinse-ability and body coverage. Through a process called atomization, the method of breaking water into tiny droplets. Atomization creates the sensation of more water while actually using up to 45% less\*.





Nebia by Moen Shower Rail and Handshower N207C0CH

\*When compared to standard Moen 2.5 showerhead

### Tub Fillers



Arris<sup>™</sup> Featured in Chrome Finish

#### TUB FILLERS



Weymouth® Freestanding or Wallmount Tub Filler

**Cross Handle** S22105 / TS25105 @

Lever Handle S22110 / TS25105 @ S



Arris® Freestanding Tub Filler S93005 @ S



Flara® Freestanding Tub Filler S931 @



Colinet™ Freestanding Tub Filler S44507 @ ☺



**Freestanding Tub Filler** S905 @ S

### Tub Fillers



**Doux**<sup>™</sup> Featured in Matte Black Finish



Doux<sup>™</sup> Freestanding Tub Filler S3105 @ ම



Wynford® Freestanding Tub Filler 655 @ @



Align® Freestanding Tub Filler 395 @®



Belfield™ Freestanding Tub Filler 9025 @ ᢒ Includes cross and lever handle options.



Voss<sup>™</sup> Freestanding Tub Filler 695 @ ම

Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages 286-289.

Moen M●PACT<sup>®</sup> Common Valve System

ADA-Compliant

\* Rough-in valve required. Please see price catalog for rough-in model numbers.

### Rainshowers



S6345 Featured in Chrome Finish



**One-Function 10" Showerhead** S112 🏾 S112EP **\$** 



**One-Function 7" Showerhead** S176 🛛 S176EP ◊¤



**Two-Function 9" Showerhead** S1311 🛛 S1311EP **\$** 



Two-Function 8 1/2" Showerhead S6345¤ S6345EP **◊**¤



**Two-Function 8" Showerhead** S6320 ¤ S6320EP **◊**¤



**One-Function 7" Showerhead** S6310 ¤ S6310EP ◊¤



**One-Function 6" Showerhead** S6340 ¤ S6340EP ◊¤ S6340EP15 og



**One-Function 6" Showerhead** S6365 🛛 S6365EP ◊¤

### Rainshowers



S6340 Featured in Brushed Nickel Finish



**One-Function 8" Showerhead** S6360 ¤ S6360EP **◊**¤



One-Function 10" Diameter Spray Head Rainshower S1001 S1001EP♦



One-Function 10" Diameter Spray Head Rainshower S1003 S1003EP♦



**One-Function 12" Diameter Spray Head Rainshower** S1004 S1004EP�



**One-Function 8" Diameter Spray Head Rainshower** S1005 S1005EP♦



**One-Function 8" Diameter Spray Head Rainshower** S1006 S1006EP♦



**One-Function 8" Showerhead** 6345 ♦



One-Function 12" Diameter Spray Head Rainshower S1002 S1002EP♦

 ${\tt X}$   $\;$  Immersion® Rainshower Technology

All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

### Showerheads

#### STANDARD AND ECO-PERFORMANCE SHOWERHEADS



**One-Function 6" Showerhead** S6335 S6335EP ♦ S6335EP15 ♦



**One-Function 5 <sup>7</sup>/₅" Showerhead** S6312 S6312EP ◊



Three-Function Eco-Performance 4" Showerhead 3233EP ◊



**Four-Function 4 <sup>3</sup>/<sub>8</sub>" Showerhead** 3638 3638EP ◊



**Five-Function 4" Showerhead** 3855 3855EP ♦



Six-Function Eco-Performance 4 <sup>1</sup>/<sub>2</sub>" Showerhead 6512EP

**One-Function** 

6302

6302EP 🛇

6302EP15 �

**One-Function** 

**One-Function** 

One-Function 3 <sup>5</sup>/<sup>8</sup>" Showerhead

6399EP15 ◊

6399 6399EP ◊

6325

6325EP 🛇

4<sup>1</sup>/<sub>16</sub>" Showerhead

6322

6322EP 🛇

3<sup>3</sup>/<sub>4</sub>" Showerhead

4<sup>3</sup>/<sub>8</sub>" Showerhead



**One-Function 3 <sup>3</sup>/4" Showerhead** 6370 6370EP



**One-Function 4" Showerhead** 6371 6371EP



**One-Function 3 <sup>3</sup>/₄" Showerhead** 26500 26500EP ♦



**One-Function 3** <sup>1</sup>/<sub>2</sub>" **Showerhead** 6303 6303EP ◊



One-Function Eco-Performance 3 <sup>1</sup>/<sub>2</sub>" Showerhead 6313 ◊



**One-function 2 ½" Showerhead** 6304 6304EP ◊



Four-Function 3" Showerhead 23026



Three-Function Eco-Performance 3 <sup>3</sup>/₄" Showerhead 20001 ◊



**One-Function 2** 1/2" **Showerhead** 6300 6300EP ♦ 6300EP15 ♦

### Handheld Showers

ECO-PERFORMANCE HANDSHOWERS



### Handheld Showers

#### ECO-PERFORMANCE HANDHELD SHOWERS



Handheld Shower 187504



One-Function Eco-Performance 3<sup>3</sup>/<sub>8</sub>" Handheld Shower 154305



Three-Function Eco-Performance 4" Handheld Shower 147913



Twist Four-Function Eco-Performance 3<sup>1</sup>/<sub>4</sub>" Handheld Shower 160042



One-Function Eco-Performance 3" Handheld Shower 176257



One-Function Eco-Performance 1" Square Handheld Shower 189575



One-Function Eco-Performance 2" Handheld Shower 176015



Four-Function Eco-Performance 4" Handheld Shower 164928



Four-Function Eco-Performance 4" Handheld Shower 164927



One-Function Eco-Performance 4" Handheld Shower 155747



One-Function Eco-Performance 1 1/8" Round Handheld Shower 155891



One-Function Eco-Performance 4" Handheld Shower 157276 157276EP15



One-Function Eco-Performance 4" Handheld Shower 164929



One-Function Eco-Performance 1" Soft Square Handheld Shower 189318



Five-Function Eco-Performance 4<sup>3</sup>/<sub>8</sub>" Handheld Shower 189315



Five-Function Eco-Performance 4" Handheld Shower 180238





Aromatherapy Handheld Shower IN208H2

Aromatherapy Handshower infuses essential oils directly into your shower water when desired



#### Inly Aromatherapy Shower Capsule

INC20801 - Energetic Morning INC20802 - Tropical Day INC20803 - Sweet Morning INC20804 - Zen Time

Compatible with Aromatherapy Shower products (sold separately)



One-Function

### Handheld Showers Accessories and Body Sprays

#### HANDHELD SHOWERS ACCESSORIES



Drop Ell A721

Shower Arm Diverter A720



**Drop Ell** A725

Shower Arm Diverter CL703



Drop Ell Handshower Bracket A755



Shower Arm Diverter with Handshower Bracket CL707 MOSAIC<sup>™</sup> FLUSHMOUNT BODY SPRAYS



Multi-Function Body Spray TS1420\*



Multi-Function Body Spray TS1422\*



**One-Function Body Spray** TS1320\*



**One-Function Body Spray** TS1322\*



Handshower Bracket A701



Handshower Bracket 114348



Handshower Bracket A730



Handshower Bracket 155694



Magnetix Handheld Remote Dock 186117

EXPOSED BODY SPRAYS



**One-Function Body Spray** A501

🛱 Immersion® Rainshower Technology

- EP Eco-Performance
- Drop ell sold seperately \* Rough-in valve required. Please
- Rough-in valve required. Please see price catalog for rough-in model numbers.

### Tub Spouts and Drains

DIVERTER TUB SPOUTS



Weymouth® Slip Fit / S12104



Colinet<sup>™</sup> Slip Fit / S5000



**90º™** IPS / S3894 Slip Fit / S3896



Via® Slip Fit / S3900



**Doux™** IPS / 3800 Slip Fit / S3835



Arris® Slip Fit / 165914



Belfield™ Slip Fit / 185820



**Glyde™** Slip Fit / 179791



Brantford® IPS / 3814 Slip Fit / 3814



IPS / 3806 Slip Fit / 3807



Dartmoor™ Slip Fit / 3737



**Voss™ Slip Fit** / 161955



Align<sup>®</sup> IPS / 172657 Slip Fit / 172656



Kingsley® Slip Fit / 3808



Moen® IPS / 3800 Slip Fit / 3801



Wynford® Slip Fit / 175385



Method<sup>™</sup> Slip Fit / 152027



Long-Reach Slip Fit / 3830



IPS / 3911 Slip Fit / 3960



Eva® Slip Fit / 3853



Rizon® Slip Fit / 3839



Level Slip Fit / 3890



Chateau® IPS / 3931 Slip Fit / 3931



Legend® IPS / 3911 Slip Fit / 3960

## Tub Spouts and Drains

NON-DIVERTER TUB SPOUTS



Weymouth® Slip Fit / S12105

NEW



Collinet™ Slip Fit / S5001

**90**⁰™

Align®

IPS / 195827

Slip Fit / S3898

NEW



Arris® Slip Fit / S16900



Via® Slip Fit / S3901



Wynford® Slip Fit / 195386





**3" Tub/Shower** Drain Covers 101663BN Refer to price catalog for finishes



2 5/8" Tub/Shower Drain Covers 101664BN Refer to price catalog for finishes



3 3/8" Tub/Shower Drain Covers 102763BN Refer to price catalog for finishes



Flara® Slip Fit / S990

Doux<sup>™</sup> IPS / S3836 Slip Fit / S3836



Voss® Slip Fit / 191956



**Belfied™** IPS / 193371



Brantford® Slip Fit / 3858



Chateau® IPS / 3804 Slip Fit / 3805



Moen<sup>®</sup> IPS / 3828 Slip Fit / 3829



Legend® Slip Fit / 3959



Level Slip Fit / 3892