

NEW



M12 **M18**

PRESS SOLUTIONS GUIDE



REDLITHIUM™

CTS



IPS



REQUIRES RING JAWS


*** r1 Ring Jaw**
49-16-2659

+ r2 Ring Jaw
49-16-2659S

PEX



ACR



COMPATIBILITY

FITTING MFR	Viega®						Apollo Valves / Elkhardt			
FITTING SYSTEM	ProPress® up to 4"		ProPress® G up to 2"		MegaPress® up to 4"	MegaPress® G up to 4"	PureFlow® PEX Press up to 2"	ApolloPress® up to 4"	PowerPress up to 2"	
FITTING MFR	Mueller Industries			NIBCO®		Anvil®	Isotubi USA	Wolverine Brass®	Standard PEX Fittings	RLS®
FITTING SYSTEM	Streamline PRS™ up to 4"	Streamline® STL & STL-G up to 2"	Streamline® ACR up to 1-1/8"	Copper Fittings up to 2"	BenchPress™ up to 2"	AnvilPress™ up to 2"	Isotubi Stainless Steel up to 1-1/4"	Up to 2"	ASTM F1807 & F2159 PEX Crimp up to 2"	Up to 1-1/8"

MATERIAL ICON KEY



For most up to date fitting compatibility information, visit milwaukeeeetool.com

CTS



1/2" CTS-V
49-16-2650



3/4" CTS-V
49-16-2651



1" CTS-V
49-16-2652



1-1/4" CTS-V
49-16-2653



1-1/2" CTS-V
49-16-2654



2" CTS-V
49-16-2655



2-1/2" CTS-Vr1
49-16-2656



3" CTS-Vr1
49-16-2657



4" CTS-Vr1
49-16-2658



2-1/2" - 4" CTS-Vr1
49-16-2690

IPS



1/2" IPS-P
49-16-2650B



3/4" IPS-P
49-16-2651B



1" IPS-P
49-16-2652B



1-1/4" IPS-Pr1
49-16-2653B



1-1/2" IPS-Pr1
49-16-2654B



2" IPS-Pr1
49-16-2655B



1/2" - 1" IPS-P
49-16-2696



1/2" - 2" IPS-Pr1
49-16-2697



1/2" IPS-IA
49-16-2650S



3/4" IPS-IA
49-16-2651S



1" IPS-IA
49-16-2652S



1-1/4" IPS-IAr1
49-16-2653S

REQUIRES RING JAWS



* r1 Ring Jaw
49-16-2659

PEX



1/2" PEX
49-16-2651C



3/4" PEX
49-16-2653C



1" PEX
49-16-2654C



1-1/4" PEX
49-16-2655C



1-1/2" PEX
49-16-2656C



2" PEX
49-16-2657C

ACR



1/4" Streamline® ACR
49-16-2650M



3/8" Streamline® ACR
49-16-2652M



1/2" Streamline® ACR
49-16-2653M



5/8" Streamline® ACR
49-16-2654M



3/4" Streamline® ACR
49-16-2655M



7/8" Streamline® ACR
49-16-2656M



1-1/8" Streamline® ACR
49-16-2657M



1/4" - 7/8" Streamline® ACR
49-16-2661M



1/4" RLS® ACR
49-16-2650R



3/8" RLS® ACR
49-16-2652R



1/2" RLS® ACR
49-16-2653R



5/8" RLS® ACR
49-16-2654R



3/4" RLS® ACR
49-16-2655R



7/8" RLS® ACR
49-16-2656R



1-1/8" RLS® ACR
49-16-2657R



1/4" - 1-1/8" RLS® ACR
49-16-2662R

COMPATIBILITY

FITTING MFR	Viega®					Apollo Valves / Elkhart		
FITTING SYSTEM	ProPress® up to 4"	ProPress® G up to 2"	MegaPress® up to 2"	MegaPress® G up to 2"	PureFlow® PEX Press up to 2"	ApolloPress® up to 4"	PowerPress up to 2"	
FITTING MFR	Mueller Industries			NIBCO®	Anvil®	Isotubi USA	Wolverine Brass®	Standard PEX Fittings
FITTING SYSTEM	Streamline PRS™ up to 4"	Streamline® STL & STL-G up to 2"	Streamline® ACR up to 1-1/8"	Copper Fittings up to 2"	BenchPress™ up to 2"	AnvilPress™ up to 2"	Isotubi Stainless Steel up to 1-1/4"	Up to 2"
								ASTM F1807 & F2159 PEX Crimp up to 2"
								Up to 1-1/8"

MATERIAL ICON KEY

For most up to date fitting compatibility information, visit milwaukeeetool.com



COPPER



STAINLESS STEEL



BLACK PIPE



PEX



ACR COPPER