



Celebrating
100 YEARS
of Innovation



LXT
LITHIUM-ION

BRUSHLESS

XPH07T

18V LXT® BRUSHLESS 1/2"
HAMMER DRIVER-DRILL

1,090 In.Lbs OF AWESOME

See page 12

AVT®
Anti Vibration Technology



HR4013C

1-9/16" AVT® ROTARY HAMMER

Advanced Anti-Vibration Technology for up to 3X Less Vibration
See page 31

makitatools.com

15–6-Piece Cordless Combo Kits



LXT1500 3.0Ah BATTERY

Includes:

- 1/2" Hammer Driver-Drill - LXPH01Z / XPH01Z
- 3/8" Angle Drill - BDA350Z / XAD01Z
- Impact Driver - LXD04Z / XDT04Z
- 1/2" Impact Wrench - BTW251Z / XWT05
- 1/2" Impact Wrench - BTW450Z / XWT04Z
- 6-1/2" Circular Saw - BSS611Z / XSS02Z
- Recipro Saw - BJR182Z / XRJ03Z
- 4-1/2" Cut-off/Angle Grinder - BGA452Z / XAG01Z
- 7/8" Rotary Hammer - BHR241Z / XRH04Z
- Drywall Screwdriver - BFS450Z / XSF01Z
- 5-3/8" Metal Cutting Saw - BCS550Z / XSC01Z
- Blower - BUB182Z / DUB182
- Fluorescent/Incan. Flashlight - BML184
- Xenon Flashlight - BML185
- 18V Compact Job Site Radio - BMR100W / XRM02W
- 4 ea. 18V LXT® Lithium-Ion 3.0Ah Battery - BL1830
- 2 ea. 18V Lithium-Ion Rapid Optimum Charger - DC18RC



LXT902 3.0Ah BATTERY

Includes:

- 1/2" Hammer Driver-Drill - LXPH01Z / XPH01Z
- Impact Driver - LXD04Z / XDT04Z
- 1/2" Impact Wrench - BTW251Z / XWT05
- 6-1/2" Circular Saw - BSS611Z / XSS02Z
- Recipro Saw - BJR182Z / XRJ03Z
- 7/8" Rotary Hammer - BHR241Z / XRH04Z
- 4-1/2" Cut-off/Angle Grinder - BGA452Z / XAG01Z
- Xenon Flashlight - BML185
- 18V Compact Job Site Radio - BMR100W / XRM02W
- 2 ea. 18V LXT® Lithium-Ion 3.0Ah Battery - BL1830
- 18V Lithium-Ion Rapid Optimum Charger - DC18RC



LXT702 3.0Ah BATTERY

Includes:

- 1/2" Hammer Driver-Drill - LXPH01Z / XPH01Z
- Impact Driver - LXD04Z / XDT04Z
- 6-1/2" Circular Saw - BSS611Z / XSS02Z
- Recipro Saw - BJR182Z / XRJ03Z
- 4-1/2" Cut-off/Angle Grinder - BGA452Z / XAG01
- Xenon Flashlight - BML185
- 18V Compact Job Site Radio - BMR100W / XRM02W
- 2 ea. 18V LXT® Lithium-Ion 3.0Ah Battery - BL1830
- 18V Lithium-Ion Rapid Optimum Charger - DC18RC



XT601 3.0Ah BATTERY

Includes:

- 1/2" Hammer Driver-Drill - LXPH01Z / XPH01Z
- Impact Driver - LXD04Z / XDT04Z
- 6-1/2" Circular Saw - BSS611Z / XSS02Z
- Recipro Saw - BJR182Z / XRJ03Z
- 4-1/2" Cut-off/Angle Grinder - BGA452Z / XAG01
- Xenon Flashlight - BML185
- 2 ea. 18V LXT® Lithium-Ion 3.0Ah Battery - BL1830
- 18V Lithium-Ion Rapid Optimum Charger - DC18RC

4-Piece Cordless Combo Kits



XT405 3.0Ah BATTERY

Includes:

- 1/2" Hammer Driver-Drill - LXPH01Z / XPH01Z
- Impact Driver - LXD04Z / XDT04Z
- 6-1/2" Circular Saw - BSS611Z / XSS02Z
- Xenon Flashlight - BML185
- 2 ea. 18V LXT® Lithium-Ion 3.0Ah Battery - BL1830
- 18V Lithium-Ion Rapid Optimum Charger - DC18RC



XT406 3.0Ah BATTERY

Includes:

- 1/2" Hammer Driver-Drill - LXPH01Z / XPH01Z
- 6-1/2" Circular Saw - BSS611Z / XSS02Z
- Recipro Saw - BJR182Z / XRJ03Z
- Xenon Flashlight - BML185
- 2 ea. 18V LXT® Lithium-Ion 3.0Ah Battery - BL1830
- 18V Lithium-Ion Rapid Optimum Charger - DC18RC



XT407 3.0Ah BATTERY

Includes:

- 1/2" Hammer Driver-Drill - LXPH01Z / XPH01Z
- Impact Driver - LXD04Z / XDT04Z
- Recipro Saw - BJR182Z / XRJ03Z
- Xenon Flashlight - BML185
- 2 ea. 18V LXT® Lithium-Ion 3.0Ah Battery - BL1830
- 18V Lithium-Ion Rapid Optimum Charger - DC18RC



XT439PM 4.0Ah BATTERY

Includes:

- Brushless 1/2" Hammer Driver-Drill - XPH07Z
- Impact Driver - XDT04Z
- 7-1/4" Circular Saw - XSH01Z
- LED Light - DML802
- (3) 18V LXT® Lithium-Ion 4.0Ah Battery - BL1840
- 18V Lithium-Ion Dual Port Rapid Optimum Charger - DC18RD

Cordless Model Number Transitions

Model	Replacement Model
BCL180W	XLC02R1W
BCL180ZW	XLC02ZW
BCS550	XSC01
BDA350	XAD01
BDF451	XFD03
BFR750	XRF01
BGA452	XAG01
BHP454	LXPH03
BHR202	XRH03
BHR241	XRH04
BHR261	HRH01
BJR181	XRJ02
BJR182Z	XRJ03Z
BJS130	XSJ01
BJV180	XVJ03
BMR100W	XRM02W
BPB180	XBPO2
BSS501	XSS03
BSS610	XSS01
BSS611Z	XSS02Z
BST221	XTS01
BTD141	XDT04
BTLO61	XLT01
BTLO63	XLT02
BTP140	XPT03
BTW251	XWT05
BTW253	XWT06
BTW450	XWT04
BUB182	DUB182
BUB360Z2C	XBU01Z
BVR450	XRV01
BVR850	XRV02
HCU02ZX2	XCU02Z
HHU01ZX2	XHU04Z
HRH01ZX2	XRH05Z
LXCU01Z	XCU01Z
LXDG01	XDG01
LXDT01	XDT01
LXDT04CW	XDT04RW
LXDT06	XDT09M
LXDT08	XDT08
LXFD01	XFD01
LXFD01CW	XFD01RW
LXGC011	XGC011
LXGC011B	XGC011B
LXHU02Z	XHU02Z
LXP02	XJP03
LXMT025	XMT035
LXMU02Z	XMU02Z
LXNJ01	XNJ01
LXOB01	XOB01
LXPH01	XPH01
LXPH01CW	XPH01RW
LXPH03	XPH03
LXPH05	XPH06
LXPK01	XPK01
LXRH011	XRH011X
LXRH01Z	XRH01Z
LXRM03B	XRM03B
LXRU02Z	XRU02Z
LXSF01	XSF01

1,090 IN.LBS. OF AWESOME



BRUSHLESS

NEW XPH07T / XPH07M



18v LXT® BRUSHLESS 1/2" HAMMER DRIVER-DRILL KIT

Delivers Up To 50% More Power and Performance than Previous Model*

- BL™ Brushless Motor delivers 1,090 in.lbs. of Max Torque
- 0 - 31,500 BPM for fast hammer drilling in masonry materials
- Efficient BL™ Brushless motor is electronically controlled to optimize battery energy use for up to 50% longer run time per charge
- The BL™ Brushless Motor eliminates carbon brushes, enabling the BL™ Motor to run cooler and more efficiently for longer life

*Compared to LXPH03

Model XPH07T Includes: 2 ea. 5.0 Ah Battery (BL1850), Rapid Optimum Charger (DC18RC), Depth Gauge (122576-8), Tool Case

Model XPH07M Includes: Same as XPH07T except 2 ea. 4.0 Ah Battery (BL1840)

Model XPH07Z Includes: Tool only - battery and charger not included

Capacities:	Steel (1/2"), Wood (3"), Masonry (5/8")
No Load Speed	0 - 550 / 0 - 2,100 RPM
Blows Per Minute	0 - 8,250 / 0 - 31,500 BPM
Maximum Torque	1,090 in.lbs./125N·m
Battery	18v LXT® Lithium-Ion
Overall Length	8-1/8"
Net Weight (w/battery)	5.9 lbs.
Shipping Weight:	XPH07T (16.8 lbs.), XPH07M (16.5 lbs.)

UPGRADE YOUR KIT

MODEL #'s ENDING WITH
"T" = 5.0Ah BATTERY

5.0Ah
BATTERY



BL1850

MODEL #'s ENDING WITH
"M" = 4.0Ah BATTERY

4.0Ah
BATTERY



BL1840

Learn More ▶ makitatools.com/awesome

2-SPEED - VARIABLE SPEED

4.0Ah
BATTERY



NEW XPH03M



18v LXT® 1/2" HAMMER DRIVER-DRILL KIT Makita-Built 4-Pole Motor Delivers 750 in.lbs. of Max Torque

- Mechanical 2-speed transmission (0-400 & 0-2,000 RPM) for a wide range of drilling, fastening and hammer drilling applications
- Compact and ergonomic design at only 8-7/8" long
- Weighs only 5.1 lbs. with battery for reduced operator fatigue
- All metal gears and aluminum gear housing for maximum job site durability

Model XPH03M Includes: 2 ea. 4.0 Ah Battery (BL1840), Rapid Optimum Charger (DC18RC), Depth Gauge (122576-8), Side Handle (126131-8), Tool Case

Model XPH03Z Includes: Tool only - battery and charger not included

Capacities:	Steel (1/2"), Wood (3"), Masonry (5/8")
No Load Speed	0 - 400 / 0 - 2,000 RPM
Blows Per Minute	0 - 6,000 / 0 - 30,000 BPM
Maximum Torque	750 in.lbs./84N·m
Battery	18v LXT® Lithium-Ion
Overall Length	8-7/8"
Net Weight (w/battery)	5.1 lbs.
Shipping Weight	15.5 lbs.



BRUSHLESS

XPH06



XPH06Z
Tool Only

18v LXT® 1/2" BRUSHLESS HAMMER DRIVER-DRILL KIT Delivers 35% More Drilling, Driving and Fastening Speed**

- BL™ Brushless Motor delivers 530 in.lbs. of Max Torque
- Variable 2-speed (0-400 & 0-1,550 RPM) for a wide range of drilling, fastening and hammer drilling applications
- Efficient BL™ Brushless motor is electronically controlled to optimize battery energy use for up to 50% longer run time per charge
- The BL™ Brushless Motor eliminates carbon brushes, enabling the BL™ Motor to run cooler and more efficiently

Model XPH06 Includes: 2 ea. 3.0 Ah Battery (BL1830), Rapid Optimum Charger (DC18RC), Tool Case

Model XPH06Z Includes: Tool only - battery and charger not included

**Compared to LXPH05

Capacities:	Steel (1/2"), Wood (1-1/2"), Masonry (1/2")
No Load Speed	0 - 400 / 0 - 1,550 RPM
Blows Per Minute	0 - 6,000 / 0 - 23,000 BPM
Maximum Torque	530 in.lbs./45N·m
Battery	18v LXT® Lithium-Ion
Overall Length	7-7/8"
Net Weight (w/battery)	3.9 lbs.
Shipping Weight	11 lbs.

Kit components may vary from tool kits shown



XSS01

18v LXT® 6-1/2" CIRCULAR SAW KIT Cuts 2X Material at 45°

- Makita-built motor delivers 3,700 RPM for faster cutting and ripping through wood
- Built-in L.E.D. light illuminates the work area
- 50° maximum bevel cutting capacity
- Built-in dust blower keeps the line of cut free of debris for more accurate cuts
- Heavy gauge, precision machined base for smooth, accurate cutting and added durability

Model XSS01 Includes: 2 ea. 3.0 Ah Battery (BL1830), Rapid Optimum Charger (DC18RC), Saw Blade, Tool Case
Model XSS01Z Includes: Tool only - battery and charger not included

Blade Diameter	6-1/2"
Arbor	5/8"
Max. Cutting Depth:	90° (2-1/4"), 45° (1-9/16")
No Load Speed	3,700 RPM
Battery	18v LXT® Lithium-Ion
Overall Length	13-5/8"
Net Weight (w/battery)	7.6 lbs.
Shipping Weight	19 lbs.



XSS02Z

18v LXT® 6-1/2" CIRCULAR SAW (TOOL ONLY) 2-1/4" Maximum Cutting Capacity

- Makita-built motor delivers 3,700 RPM for faster cutting
- Heavy gauge machined base for smooth and accurate cutting
- 50° maximum bevel cutting capacity
- Weighs only 7.3 lbs. with battery (battery not included) for reduced operator fatigue
- 6-1/2" blade delivers a 2-1/4" cutting capacity for a wide range of cutting applications

Model XSS02Z Includes: Tool Only - With 1 ea. Blade (A-96023); Battery and charger not included

Blade Diameter	6-1/2"
Arbor	5/8"
Max. Cutting Depth:	90° (2-1/4"), 45° (1-9/16")
No Load Speed	3,700 RPM
Battery	18v LXT® Lithium-Ion
Overall Length	13-5/8"
Net Weight (w/battery)	7.3 lbs.
Shipping Weight	8.2 lbs.

Tool Only - Battery & Charger not included



XSS03

18v LXT® 5-3/8" CIRCULAR TRIM SAW KIT Weighs Only 6.0 lbs.

- Makita-built motor delivers 3,600 RPM for faster cutting
- Weighs only 6.0 lbs. with battery for reduced operator fatigue
- Built-in dust blower keeps the line of cut free of debris for more accurate cuts
- Heavy gauge, precision machined base for smooth, accurate cutting and added durability
- Electric brake for maximum productivity

Model XSS03 Includes: 2 ea. 3.0 Ah Battery (BL1830), Rapid Optimum Charger (DC18RC), 5-3/8" 16T Carbide-Tipped Circular Saw Blade (A-94904), Tool Bag
Model XSS03Z Includes: Tool only - battery and charger not included

Blade Diameter	5-3/8"
Arbor	5/8"
Max. Cutting Depth:	90° (2"), 45° (1-3/8")
No Load Speed	3,600 RPM
Battery	18v LXT® Lithium-Ion
Overall Length	14-3/8"
Net Weight (w/battery)	6 lbs.
Shipping Weight	16.7 lbs.

Tool Only



XRJ01

18v LXT® COMPACT RECIPRO SAW Compact Design for Close Quarter Cutting

- Variable speed (0 - 3,000 SPM) with a 1/2" stroke length for faster and more efficient cutting
- Makita exclusive dual-position on/off switch allows for either paddle or trigger switch operation
- "Tool-less" blade change system allows for faster blade installation and removal for increased productivity
- Compact and ergonomic design at 15-5/8" long

Model XRJ01 Includes: 2 ea. 3.0 Ah Battery (BL1830), Rapid Optimum Charger (DC18RC), 4" 18TPI Metal Cutting Recipro Saw Blade (B-20404), 4" 6TPI Wood Cutting Recipro Saw Blade (B-20432), Tool Bag
Model XRJ01Z Includes: Tool only - battery and charger not included

Length of Stroke	1/2"
Max. Cutting Capacity:	Pipe (2"), Wood (2")
Strokes Per Minute	0 - 3,000 SPM
Battery	18v LXT® Lithium-Ion
Overall Length	15-5/8"
Net Weight (w/battery)	3.9 lbs.
Shipping Weight	13 lbs.

Tool Only



XRJ02

18v LXT® RECIPRO SAW KIT "Tool-less" Blade Change and Shoe Adjustment

- Makita-built variable speed motor delivers 0-2,900 strokes per minute and a 1-1/8" stroke length for faster cutting
- Large 2-finger variable speed trigger for added convenience
- Retractable tool hook secures the tool when not in use
- Soft grip handle provides increased comfort on the job
- Compact and ergonomic design at only 19-5/8" long
- Weighs only 8.2 lbs. with battery for reduced operator fatigue

Model XRJ02 Includes: 2 ea. 3.0 Ah Battery (BL1830), Rapid Optimum Charger (DC18RC), 6" Recipro Saw Blade (723054-A-1), Tool Case
Model XRJ02Z Includes: Tool only - battery and charger not included

Length of Stroke	1-1/8"
Max. Cutting Capacity:	Pipe (5-1/8"), Wood w/ 12" blade (10")
Strokes Per Minute	0 - 2,900 SPM
Battery	18v LXT® Lithium-Ion
Overall Length	19-5/8"
Net Weight (w/battery)	8.2 lbs.
Shipping Weight	17.7 lbs.

Tool Only



XRJ03Z

18v LXT® RECIPRO SAW (TOOL ONLY) 2,900 SPM and 1-1/8" Stroke for Fast Cutting

- Makita-built variable speed motor delivers 0-2,900 strokes per minute and a 1-1/8" length stroke to provide faster cutting
- "Tool-less" blade change system allows for faster blade installation and removal for increased productivity
- Compact and ergonomic design at only 17-3/4" long
- Weighs only 7.9 lbs. with battery (battery not included) for reduced operator fatigue

Model XRJ03Z Includes: Tool Only - 6" Recipro Saw Blade (723054-A); Battery and charger not included

Length of Stroke	1-1/8"
Max. Cutting Capacity:	Pipe (5-1/8"), Wood w/ 12" blade (10")
Strokes Per Minute	0 - 2,900 SPM
Battery	18v LXT® Lithium-Ion
Overall Length	17-3/4"
Net Weight (w/battery)	7.9 lbs.
Shipping Weight	8 lbs.

Tool Only - Battery & Charger not included



XVJ02Z

18v LXT® BRUSHLESS JIG SAW (TOOL ONLY) Up To 45% Faster Cutting*

- Makita-built brushless motor and 3 orbital settings plus straight cutting deliver faster and more accurate cuts in a variety of materials
- Variable 6-speed control dial (800-3,500 SPM) enables user to match the speed to the application
- Efficient BL™ Brushless motor is electronically controlled to optimize battery energy use for up to 50% longer run time per charge

*Compared to XVJ03

Model XVJ02Z Includes: Tool Only - Jig Saw Blade (792529-7-1); Battery and charger not included

Length of Stroke	1"
Max Cutting Capacity at 90°:	
Aluminum (25/32"), Mild Steel (3/8"), Wood (5-5/16")	
Strokes Per Minute	800 - 3,500 SPM
No Load Speed	800 - 3,500 RPM
Blade Shank	"T" Tang
Battery	18v LXT® Lithium-Ion
Overall Length	10-1/2"
Net Weight	5.8 lbs.
Shipping Weight	5.3 lbs.

Tool Only - Battery & Charger not included



XVJ03

18v LXT® JIG SAW KIT Custom Cutting Without a Cord

- Makita-built variable speed motor delivers 0-2,600 strokes per minute for fast and efficient cutting
- 3 orbital settings plus straight cutting for use in a variety of materials
- "Tool-less" blade change system allows for faster blade installation and removal for increased productivity
- Large 2-finger variable speed trigger for added convenience
- Heavy gauge, precision machined base for smooth, accurate cutting and added durability

Model XVJ03 Includes: 2 ea. 3.0 Ah Battery (BL1830), Rapid Optimum Charger (DC18RC), Jig Saw Blade (792729-9-1), Anti-Splintering Insert (415524-7), Cover Plate (417852-6), Hex Wrench (783202-0), Tool Bag
Model XVJ03Z Includes: Tool only - battery and charger not included

Length of Stroke	1"
Max. Cutting Capacity at 90°:	Wood (5-5/16"), Steel (3/8")
Strokes Per Minute	0 - 2,600 SPM
Blade Shank	"T" Tang
Battery	18v LXT® Lithium-Ion
Overall Length	10-1/8"
Net Weight (w/battery)	6.1 lbs.
Shipping Weight	14.1 lbs.

Tool Only