



Delta Faucet Company India Pvt. Ltd.
Unit Nos. 15-17, 10th Floor, Tower B,
Emaar Digital Greens, Sector 61,
Golf Course Extension Road,
Gurgaon – 122102, Haryana, India

deltafaucet.in
customercareindia@deltafaucet.com
+91 8130 518 936
©2024 Delta Faucet Company
DL-105-02/24

GLOBAL HEADQUARTERS
Delta Faucet Company
55 E, 111th St., P.O. Box 40980
Indianapolis, USA, IN 46280

A MASCO COMPANY



Download / View
Digital Catalog



**Make a million droplets dance
with your fingertips**

MagnaDrizzle

A precision engineered showerhead that gives you the finest misty rain experience ever.



Softly wrap yourself in serenity



MagnaDrizzle

Softly wrap yourself in serenity



NEW, UNIQUE ROUNDED SQUARE SHAPE

Gently rounded contours seamlessly blend into a variety of design environments.

FINEST MISTY RAIN EXPERIENCE EVER

A precision engineered showerhead with high nozzle density in a 15" x 15" (371 mm x 371 mm) showerhead to bring you the perfect drizzle.

Pore diameter finer than most (which is carefully optimized to prevent clogging) with touch clean technology.




WALL MOUNT OR CEILING MOUNT


Flexibility to install on-wall with Drizzle wall mount showerarm or on-ceiling with any standard ceiling mount shower arm.

Specially designed wall mount showerarm to provide adequate strength to take the load of the entire showerhead.

FINISHES THAT ADD EXCLUSIVITY


Explore endless possibilities with a range of unique finishes.

-  **Champagne Bronze**
Warm, muted brushed gold texture for a timeless appearance
-  **Polished Nickel**
Subtle gold tones veiled in hues of modernity to match your inspiration
-  **Polished Chrome**
Highly reflective yet maintains an elegant, contemporary composure




BEST IN SEGMENT PROJECTED SPRAY REACH


Optimal length of wall mount showerarm with 8 to 24 degrees vertical angle adjustment to provide best in segment projected spray reach of 530 mm to 710 mm.



15" Single-Function Showerhead +
Wall mount Showerarm
ISH1116 + ISH1117




15" Single-Function Showerhead +
Wall mount Showerarm
ISH1116-PN + ISH1117-PN



15" Single-Function Showerhead +
Wall mount Showerarm
ISH1116-CZ + ISH1117-CZ




15" Single-Function Showerhead Only
ISH1116



15" Single-Function Showerhead Only
ISH1116-PN



15" Single-Function Showerhead Only
ISH1116-CZ



Make a million droplets dance
with your fingertips

MagnaChoice® Bud

High performance of the MagnaChoice® push-button
showering system in a sleek compact size.



Sleek Compact Landscape Format

MagnaChoice® Bud

High performance of the **MagnaChoice®** push-button showering system in a sleek compact size. Its single-piece trim design, individual flow control knobs with zero to full flow and robust components ensure dust resistant and hassle-free operation for a long time.



SINGLE-PIECE TRIM DESIGN

Ensures dust resistant and hassle-free operation for a long time.




PUSH FOR ON / OFF

Carefully-sized, push buttons in a range of finishes with intuitive icons. Choose from 6 button caps for a range of showering functions.



TURN FOR FLOW CONTROL

Precise flow control from zero to full flow by easily turning the knob. Thoughtfully designed diamond-cut knurled knobs for a secure grip.



THERMOSTATIC TEMPERATURE CONTROL

Automatically maintains a precise and constant water temperature.

TEMPERATURE SAFETY LOCK

Temperature safety lock in the main knob to prevent scalding.

BEST IN SEGMENT FLOW RATES

Prolific cartridges can meet the flow rate demands of any showering configuration with ease.

INTEGRATED BRACKET FOR ON-WALL INSTALLATION

Provides adequate strength to take the load of the entire rough.

Specially designed fastener holes for easier adjustments to achieve perfect horizontal installation.

MIN-MAX MARKING FOR ROUGH-IN DEPTH

Error-free installation with visual min-max marking for rough-in depth.

ENGINEERED PLASTIC PROTECTIVE GUARD

Robust protection against dust and damage during construction.

Reduces risk of theft and vandalism during construction.

Rectangular shape for easier use of spirit leveler for a perfect horizontal installation.

Recyclable material.



Robust Leak-proof Easy Installation

SOLID METAL CONSTRUCTION

Single piece brass body for maximum durability.

Thermostatic and push button cartridges with brass tightening nuts for leak proof performance.

Brass check valve for durability and ease of servicing.



Robust, intuitive design of inlet-outlet placements to ensure error free plumbing. Markings are also engraved on the protective cover.

Easy to install with standard 3/4" inlet & 1/2" outlet connection.

Pre-installed cartridges, push button sub-assembly and check valves inside the rough.

EASY TO INSTALL

FINISHES THAT ADD EXCLUSIVITY

Explore endless possibilities with a range of unique finishes.



Polished Chrome: Highly reflective yet maintains an elegant, contemporary composure



Polished Nickel: Subtle gold tones veiled in hues of modernity to match your inspiration



Champagne Bronze: Warm, muted brushed gold texture for a timeless appearance



Matte Black: Versatile achromatic shade that creates a feeling of depth and infinite space.

SHOWERING FUNCTIONS



Rain Shower



H2Okinetic Shower



Cascade Flow



Handshower




Body Spray




Spout



Push Button High Flow Thermostatic Trim with 3 Outlets
T67703, R96703



Push Button High Flow Thermostatic Trim with 3 Outlets
T67703-PN, R96703



Push Button High Flow Thermostatic Trim with 3 Outlets
T67703-CZ, R96703



Push Button High Flow Thermostatic Trim with 3 Outlets
T67703-BL, R96703




Push Button High Flow Thermostatic Rough with 3 Outlets
R96703



THE INNOVATION DOESN'T END HERE.

There's more at deltafaucet.in



SOCIAL

Follow Delta Faucet on social media for design tips, new product information and more.

