



# VisionPRO® 8000 Thermostat with RedLINK® Technology

Whole-Home Comfort, Simplified



# THE NEXT GENERATION

The VisionPRO® 8000 thermostat allows homeowners to manage their entire home comfort system through one easy-to-use interface. With RedLINK® wireless technology, the thermostat allows customized alerts to monitor comfort, safety and energy efficiency.

## More application and more install options

- Works in virtually any residential or light commercial setting
- Three flexible ways to install, which helps you solve a variety of wiring issues
  - » Wired directly to the equipment
  - » 2-wire or wireless with an Equipment Interface Module (EIM)
  - » 2-wire or wireless with RedLINK® Technology TrueZONE®

## Even more Intuitive and easier to use

- Plain language, on-screen setup helps reduce install errors and eliminates the need for a manual
- Allows installers to copy the Installer Setup from one thermostat to another with a microSD card
- On-screen dealer information displays with customizable alerts, encouraging repeat business



# CONNECT TO A **COMPLETE SOLUTION**

with RedLINK® wireless  
technology

Easily integrate humidification, dehumidification, ventilation, indoor air quality and zoning systems — without running new wires. Accessories install in minutes with the touch of a button, helping you drive add-on sales and increase profitability.

## RedLINK® Internet Gateway with Total Connect Comfort Services

Allows users to remotely monitor and control their heating and cooling systems anytime, anywhere. Free apps are available for both Apple® and Android™ devices.



**Portable Comfort  
Control**



**Wireless Entry/Exit  
Remote**



**Wireless Outdoor  
Air Sensor**



**Wireless Indoor  
Air Sensor**



**Wireless Vent and Filter  
Boost Remote**

| VisionPRO® 8000 RedLINK®                  |                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PART NUMBER                               | PRODUCT DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                       |
| TH8110R1008                               | VisionPRO® 8000 thermostat with RedLINK® technology. Residential or light commercial use. 7-day programmable. 1H/1C heat pump or 1H/1C conventional. Works standalone or with the THM5421R1021 Equipment Interface Module (EIM).                                                                                                                                                                                          |
| TH8320R1003                               | VisionPRO® 8000 thermostat with RedLINK® technology. Residential or light commercial use. 7-day programmable. Up to 3H/2C heat pump or up to 2H/2C conventional. Works standalone or with the THM5421R1021 EIM.                                                                                                                                                                                                           |
| TH8321R1001                               | VisionPRO® 8000 thermostat with RedLINK® technology. Residential or light commercial use. 7-day programmable. Up to 3H/2C heat pump or up to 2H/2C conventional. Includes a set of IAQ contacts to control humidification, dehumidification or ventilation. Works standalone or with the THM5421R1021 EIM.                                                                                                                |
| Equipment Interface Modules               |                                                                                                                                                                                                                                                                                                                                                                                                                           |
| THM5421R1021                              | Controls up to 4 stages of heat and 2 stages of cool in a heat pump system and up to 4 stages of heat and 4 stages of cool in a conventional system. Three sets of IAQ contacts to control humidification, dehumidification, and ventilation. Four sensor inputs for wired sensors or dry contact devices. Compatible with all Prestige® IAQ thermostats and the VisionPRO® 8000.                                         |
| YTHM5421R1010                             | EIM kit with 2 duct sensors. Controls up to 4 stages of heat and 2 stages of cool in a heat pump system and up to 3 stages of heat and 2 stages of cool in a conventional system. Three sets of IAQ contacts to control humidification, dehumidification, and ventilation. Four sensor inputs for wired sensors or dry contact devices. Compatible with all Prestige® IAQ thermostats and the VisionPRO® 8000 thermostat. |
| VisionPRO® 8000 RedLINK® Wall Cover Plate |                                                                                                                                                                                                                                                                                                                                                                                                                           |
| THP2400A1019                              |                                                                                                                                                                                                                                                                                                                                                                                                                           |
| RedLINK® Accessories                      |                                                                                                                                                                                                                                                                                                                                                                                                                           |
| THM6000R7001                              | RedLINK® Technology enabled Internet Gateway                                                                                                                                                                                                                                                                                                                                                                              |
| REM5000R1001                              | Portable Comfort Control                                                                                                                                                                                                                                                                                                                                                                                                  |
| REM1000R1003                              | Wireless entry/exit remote                                                                                                                                                                                                                                                                                                                                                                                                |
| C7089R1013                                | Wireless outdoor air sensor                                                                                                                                                                                                                                                                                                                                                                                               |
| C7189R1004                                | Wireless indoor air sensor                                                                                                                                                                                                                                                                                                                                                                                                |
| HVC20A1000                                | Wireless vent and filter boost remote                                                                                                                                                                                                                                                                                                                                                                                     |
| THM4000R1000                              | Wireless adapter for RedLINK® Technology TrueZONE® or to extend wireless range of EIM                                                                                                                                                                                                                                                                                                                                     |
| ERM5220R1018                              | wireless module for outdoor unit or boiler                                                                                                                                                                                                                                                                                                                                                                                |

#### For more information

[resideo.com/pro](https://resideo.com/pro)



#### Resideo Technologies, Inc.

1985 Douglas Drive North  
Golden Valley, MN 55422  
1-800-468-1502  
[resideo.com](https://resideo.com)

Apple is a trademark of Apple Inc.

Android is a trademark of Google Inc.

50-1903 | VN | 03/21

© 2021 Resideo Technologies, Inc.  
All rights reserved. The Honeywell Home trademark is used under license from Honeywell International, Inc. These products are manufactured by Resideo Technologies, Inc., and its affiliates.



**Honeywell Home**