

# ACCESSORIES

## ▣ Drilling (Masonry)



For SDS-PLUS Hammers



For SDS-MAX Hammers



17 mm Hex



19 mm Hex



21mm Hex



28.6mm Hex



30mm Hex



Makita Small

**For Straight shank**

**TCT drill bit Straight shank**



Bit Dia. (mm)	Overall length (mm)	Working length (mm)	Part No.
3	60	30	D-05393
4	70	35	D-05402
5.5	100	60	D-36784
5.5	150	90	D-36790
5	85	45	D-05418
6	100	60	D-05424
6	150	90	D-05430
6.5	100	55	D-36809
6.5	150	90	D-36815
7	100	55	D-05446
7	150	90	D-05452
8	110	60	D-05468
8	150	90	D-05474
9	150	90	D-05480
10	150	90	D-05496
10	400	315	D-18960
11	150	90	D-05505
12	150	90	D-05511
12	400	315	D-17697
12	600	505	D-17728
13	150	85	D-05527
14	150	85	D-05533
14	400	315	D-18976
15	150	85	D-05549
16	150	85	D-05555
16	400	315	D-17706
16	600	505	D-17734
18	400	315	D-18982
20	400	315	D-17712
20	600	505	D-17740

Size: inch

Bit Dia.	Length	Working length	Part No.
1/8"	3"	1-3/4"	D-24309
5/32"	6"	3-9/16"	D-24315
3/16"	3-1/2"	2"	D-24321
3/16"	6"	3-9/16"	D-24337
7/32"	6"	3-9/16"	D-24343
1/4"	4"	2-3/8"	D-24359
1/4"	6"	3-9/16"	D-24365
1/4"	12"	8-7/8"	D-24371
5/16"	6"	3-9/16"	D-24387
5/16"	12"	8-7/8"	D-24393
3/8"	6"	3-9/16"	D-24402
3/8"	12"	8-7/8"	D-24418
7/16"	6"	3-9/16"	D-24424
1/2"	6"	3-3/8"	D-24430
1/2"	12"	8-7/8"	D-24446
5/8"	6"	3-3/8"	D-24452
5/8"	12"	8-7/8"	D-24468
3/4"	12"	8-7/8"	D-24480
1"	12"	8-7/8"	D-24496

**TCT drill bit Straight shank 5pcs. set**

\*5 different sizes



Bit Dia. (mm)	Overall length (mm)	Working length (mm)	Part No.
4	70	35	*D-03894
5	85	45	
6, 8, 10	100	60	*D-36821
5	85	45	
5.5, 6.5	100	60	
8, 10	150	90	D-16508
7	100	55	D-16514
8	110	60	*D-20719
5, 6, 7, 8, 10	110	60	

Size: inch

Bit Dia.	Length	Working length	Part No.
1/8"	3"	1-3/4"	D-24309
5/32"	6"	3-9/16"	D-24315
3/16"	3-1/2"	2"	D-24321
3/16"	6"	3-9/16"	D-24337
7/32"	6"	3-9/16"	D-24343
1/4"	4"	2-3/8"	D-24359
1/4"	6"	3-9/16"	D-24365
1/4"	12"	8-7/8"	D-24371
5/16"	6"	3-9/16"	D-24387
5/16"	12"	8-7/8"	D-24393
3/8"	6"	3-9/16"	D-24402
3/8"	12"	8-7/8"	D-24418
7/16"	6"	3-9/16"	D-24424
1/2"	6"	3-3/8"	D-24430
1/2"	12"	8-7/8"	D-24446
5/8"	6"	3-3/8"	D-24452
5/8"	12"	8-7/8"	D-24468
3/4"	12"	8-7/8"	D-24480
1"	12"	8-7/8"	D-24496

**TCT drill bit Straight shank 5pcs. set**

\*5 different sizes

Size: inch



Bit Dia.	Length	Working length	Part No.
3/16"	3-1/2"	2"	*D-36033
1/4"; 5/16"; 3/8"; 1/2"	6"	3-9/16"	
1/4"	6"	3-9/16"	D-36027

**TCT drill bit Straight shank 20pcs. set**

Size: inch



Bit Dia.	Length	Working length	Part No.
1/4"	6"	3-9/16"	D-24365-20
3/8"	6"	3-9/16"	D-24402-20
1/2"	6"	3-3/8"	D-24430-20

### TCT drill bit 1/4" Hex. shank



1/4"Hex (MZ)

Bit Dia. (mm)	Overall length (mm)	Working length (mm)	Shank Type	Per pkg.	Part No.
3	80	35	MZ	1	D-23771
4	80	35	MZ	1	D-23787
5	90	45	MZ	1	D-23793
6	100	55	MZ	1	D-23802
8	100	55	MZ	1	D-23818

1/4"Hex (NZ)

3	80	35	NZ	1	D-31463
3.2	80	35	NZ	1	D-63694
4	80	35	NZ	1	D-31479
5	90	45	NZ	1	D-31485
6	100	55	NZ	1	D-31491
8	100	55	NZ	1	D-31500

Size: inch  
1/4"Hex (MZ)

Bit Dia.	Overall length	Working length	Shank Type	Per pkg.	Part No.
1/8"	3"	1-11/64"	MZ	1	D-24038
3/16"	3-11/32"	1-9/16"	MZ	1	D-24044
1/4"	4"	2-5/32"	MZ	1	D-24050

### TCT drill bit Straight shank



Bit Dia. (mm)	Overall length (mm)	Working length (mm)	Part No.
3	60	30	D-41056
3.5	75	40	D-41062
4	75	40	D-41078
4.5	85	50	D-41084
5	85	50	D-41090
5	150	90	D-41109
5.5	85	50	D-41115
5.5	150	90	D-41121
6	100	60	D-41137
6	150	90	D-41143
6	200	130	D-41159
6	400	300	D-41165
6.5	100	60	D-41171
6.5	150	90	D-41187
6.5	400	300	D-41193
7	100	60	D-41202
7	150	90	D-41218
7	400	300	D-41224
8	120	80	D-41230
8	150	90	D-41246
8	200	130	D-41252
8	400	300	D-41268
9	120	80	D-41274
10	120	80	D-41280
10	150	90	D-41296
10	200	130	D-41305
10	400	300	D-41311
11	150	90	D-41327
12	150	90	D-41333
12	200	130	D-41349
12	400	300	D-41355

### TCT drill bit Straight shank 3pcs. set

\*3 different sizes



Bit Dia. (mm)	Overall length (mm)	Working length (mm)	Part No.
5	85	50	D-41361
6	100	60	
8	120	80	

### TCT drill bit Straight shank 5pcs. set

\*5 different sizes



Bit Dia. (mm)	Overall length (mm)	Working length (mm)	Part No.
4	75	40	D-41377
5	85	50	
6	100	60	
8	120	80	
10	120	80	

### TCT drill bit Straight shank 8pcs. set

\*8 different sizes



Bit Dia. (mm)	Overall length (mm)	Working length (mm)	Part No.
3	60	30	D-41822
4	75	40	
5	85	50	
6	100	60	
7	100	60	
8	120	80	
9	120	80	
10	120	80	

### Omnibohrer Straight shank



Percussion sharpened high resistance carbide tip with reinforced head. Can drill multiplicity of materials without changing drill bit (ideal for doors, shelves, window frames etc).

Use with rotary or percussion drills. Without percussion use on vitrified brick, wood, brick. With percussion use on , block, stone, plaster most grades of concrete.



Bit Dia. (mm)	Length (mm)	Working length (mm)	Part No.
3	60	26	D-35053
4	70	36	D-35069
5	85	41	D-35075
5.5	85	41	D-35081
5.5	100	56	D-35097
5.5	150	101	D-35106

Bit Dia. (mm)	Length (mm)	Working length (mm)	Part No.
6	100	56	D-35112
6	150	101	D-35128
6.5	85	41	D-35134
6.5	100	56	D-35140
6.5	150	101	D-35156
7	100	51	D-35162
7	150	101	D-35178
8	110	55	D-35184
8	150	95	D-35190
9	150	95	D-35209
10	150	95	D-35215
10	400	298	D-35221
11	150	91	D-35237
12	150	91	D-35243
12	400	298	D-35259
12	600	498	D-35265
13	150	83	D-35271
14	150	83	D-35287
14	400	298	D-35293

### Omnibohrer Straight shank 5pcs. set



Bit Dia. (mm)	Length (mm)	Working length (mm)	Part No.
5	85	41	D-30477
6	100	56	
8	110	55	
10	150	95	
12	150	91	
4	70	36	D-36778
5	85	41	
6	100	56	
10	150	95	

### Omnibohrer Straight shank



Size: inch



Bit Dia.	Length	Working length	Part No.
1/8"	3"	1-3/8"	D-36859
5/32"	3-1/8"	1-5/8"	D-36865
5/32"	6"	4-3/16"	D-36871
3/16"	3-1/2"	1-3/4"	D-36887
3/16"	6"	4-3/8"	D-36893
1/4"	4"	2-3/16"	D-36902
1/4"	6"	4-3/8"	D-36918
5/16"	4-3/4"	2-7/16"	D-36924
3/16"	6"	4-3/16"	D-36930
3/8"	6"	4-3/16"	D-36946
1/2"	6"	3-5/8"	D-36952

### Omnibohrer Straight shank 5pcs. set

Size: inch



Bit Dia.	Length	Working length	Part No.
1/8"	3"	1-3/8"	D-37100
3/16"	3-1/2"	1-3/4"	
1/4"	4"	2-3/16"	
5/16"	6"	4-3/16"	
3/8"	6"	4-3/16"	
3/16"	3-1/2"	1-3/4"	D-37029
1/4"	6"	4-3/8"	
5/16"	6"	4-3/16"	
3/8"	6"	4-3/16"	
1/2"	6"	3-5/8"	

### Glass bit Straight shank



Bit Dia. (mm)	Overall length (mm)	Shank Type	Per pkg.	Part No.
3	65	Straight	1	D-25111
4	65	Straight	1	D-25127
5	65	Straight	1	D-25133
6	65	Straight	1	D-25149
8	70	Straight	1	D-25155
10	80	Straight	1	D-25161
12	80	Straight	1	D-25177

Size: inch

Bit Dia.	Overall length	Shank Type	Per pkg.	Part No.
1/8"	2-1/2"	Straight	1	D-25183
3/16"	2-1/2"	Straight	1	D-25199
1/4"	3"	Straight	1	D-25208
5/16"	3"	Straight	1	D-25214
3/8"	3-1/8"	Straight	1	D-25220
1/2"	3-1/8"	Straight	1	D-25236

### Glass bit 1/4" Hex. Shank



1/4"Hex (MZ)

Bit Dia. (mm)	Overall length (mm)	Shank Type	Per pkg.	Part No.
4	65	MZ	1	D-15942
5	65	MZ	1	D-15958
6	65	MZ	1	D-15964
8	70	MZ	1	D-15970
10	80	MZ	1	D-15986

1/4"Hex (NZ)

Bit Dia.	Overall length	Shank Type	Per pkg.	Part No.
4	65	NZ	1	D-31413
5	65	NZ	1	D-31429
6	65	NZ	1	D-31435
8	70	NZ	1	D-31441
10	80	NZ	1	D-31457

## TCT drill bit for SDS-PLUS Hammers Chart



Product	Standard type	Centering Tip	Centering Tip V-PLUS	NEMESIS II
Range	★★	★★★	★★★★★	★★★★★★
Carbide				
Tip	2 Cutter	Centering tip 2 Cutter	Centering tip 2 Cutter	4 Cutter
Flute	Standard 2 flute	Standard 2 flute	High Durability 2 flute	High Durability 4 flute
Chart				

Chart  
 A - Speed  
 B - Life  
 C - Easy positioning  
 D - Accuracy  
 E - Anti Jamming in rebar

Drilling  
(Masonry)



ALL NEW!!


**NEMESIS II for SDS-PLUS Hammers**

With Solid Carbide head



**Lifetime on rebar up to 50% higher!**

Life (Drilling into reinforced concrete)




### Utility



Wearing mark  
 Indicator for evaluating the dimensional stability of the anchor holes

Innovated flute geometry  
 Faster drilling



Rebar chamfer  
 Reduce shock in reinforcement strikes